



## **Bresco Vehicle Services Limited**

Unit 14 Meadow Lane Ind. Estate, Gordon Road,  
Loughborough, UK LE11 1JP

Tel: +44 (0)1509 610834

[www.bresco.com](http://www.bresco.com)

Email: [sales@bresco.com](mailto:sales@bresco.com)

# **ONLINE CATALOGUE**

**Version 30 1<sup>st</sup> February 2021**

This catalogue does not include the fasteners for  
modern cars which are in a separate catalogue

**For technical advice please contact Howard Christian by  
phone on +44 (0)1509 610834, or by email: [sales@bresco.com](mailto:sales@bresco.com)**

Please be aware that we frequently add new products to our website.  
Also, there may be blank spaces in the catalogue- these are  
intentional.

**THIS WEBSITE IS A MAIL-ORDER FACILITY TO ORDER BY PHONE  
OR EMAIL**

Phone Howard on +44 (0) 1509 610834 or Email: [sales@bresco.com](mailto:sales@bresco.com). If  
you wish to proceed with the order, you will be asked to provide your Debit  
/ Credit card or PayPal details.

INDEX: PACKS	Section Starts Page:
Adhesives and Solvents	02
Consumables	04
Tools	05
Boxes of assorted parts	06
Badge Fixes	07
Brake / Fuel Hardware	09
Cable and Wiring Clips and Ties	11
Clevis Pins	12
Control Cable / Rod Clips – Metal and Plastic	12
Door Trim Pad Clips	13
Durable Dot' and 'Lift The Dot' Studs	15
Edge Clips (including 'D' and 'S' types and Edge Panel Clips)	16
Edge / Tongue Cable / Pipe Clips	18
Exhaust Manifold Studs, Nuts and Hardware	20
Eyelets and Rings	21
Hose Clips	21
Insulated Terminals	24
Miscellaneous Parts	26
Moulding Clips - Plastic	27
Moulding Clips - Metal	29
Moulding Clips – Miscellaneous	31
Moulding Clips - Reveal	31
Nuts and Washers - Various	31
Pipe Clips	33
Pipe Connectors	34
Quarter Turn Studs and Sockets	35
Rivets and Scrivets	36
Screws and Bolts in Stainless Steel	38
Screws and Bolts in Steel	40
Screws- Black	43
Screws- ACME Thread	43
Self Sealing Plugs / Grommets	44
Snap-In Nuts - Nylon / Rubber	45
Spire Nuts- Cage Type (including 'J' Type)	47
Spire Nuts- 'J' Type	48
Spire Nuts- 'U' Type	48
Spire Nuts- expansion / flat / cal	50
'T' Bolts – Metal	50
Tenax Fasteners	51
Trim Buttons, Studs and Fir Tree Buttons	52
Trim Fasteners – Miscellaneous	53
Weatherseal Clips	55
Windscreen Washer Accessories	56
Wiring Loom Clips- see Cable and Wiring section	
Woodruff keys	56

APPENDIX 1: KITS- Fasteners for specific jobs on specific makes and models of cars. Sufficient clips for one car. Prices vary.

## Adhesives and Sealants



Bondrite Adhesives are a well-established British company supplying quality British adhesives. The Bondrite range is very wide covering all types of single and two part adhesives as well as a good range of sealants.

Their Chemists have formulated the adhesives to compete directly both in quality and price with the household names, in fact many of the products out- perform the best known brands. The Bondrite technical team are happy to help out with advice

on bonding

problems so please contact Bresco to forward on any queries.



### BRA2270P

Bondrite's Studlock is a permanent red coloured, general purpose adhesive for permanent threaded assemblies. 50ml Bottle.


Locks and seals studs and bolts which do NOT normally need dismantling..



### BRA2243P

Bondrite's Nutlock is a blue coloured, general purpose 'Removable Medium Strength' product. 50ml Bottle.

Locks and seals nuts, bolts, and screws, allowing easy removal with hand tools.



### BRA2638P

Bondrite's High Strength Retainer is green coloured and designed to give high strength retention under Cyclic loading. 50ml Bottle.

For precision fitting components. e.g Gears, pulleys, sleeves, bearings, and cylindrical components, which do NOT need to be dismantled.



### BRA2641P

Bondrite's Bearing Fit is a single part anaerobic securing compound, designed for fitting bearings, and cures when confined between the parts. 50ml bottle.

For components with wider tolerances, e.g Bearing housings, bushes, splines, keys, and worn parts, allowing removal with hand tools.



### S1001P

Bondrite's S1001 5 Min Epoxy is a fast set, general purpose, two part epoxy adhesive. (25ml syringe)

Effective adhesive for wood, metals, ceramics, fibreglass, and most plastics.

### BRA2572P

Bondrite's Pipesal with Teflon is an Instant Low Pressure sealant for fine and coarse threads up to 2" in diameter. 50ml bottle.

Seals threads against most chemicals, gases, and fluids whilst allowing easy dismantling with normal hand tools. Teflon eases assembly of parts. (Teflon is a registered trademark of Du Pont).



**C5000P**  
Bondrite's Contact Adhesive: General Contact Adhesive for carpets / headlinings etc. 500ml  
CAN ONLY BE DELIVERED WITHIN THE UK DUE TO CUSTOMS REGULATIONS




**C1358P**  
Bondrite's Contact Adhesive: High Temperature Resistance for under bonnet application. 500ml  
CAN ONLY BE DELIVERED WITHIN THE UK DUE TO CUSTOMS REGULATIONS



**B400P**  
Bondrite's Super Glue 10gm bottle




**VC6P**  
Adhesive Spray. Can be applied to Roof Linings, Trim Linings, Upholstery and Carpets. 400ml aerosol.



**GLU10P**  
Double-Sided Adhesive Foam Tape - Yellow Backing. Designed for automotive trim fixing. Delayed cure allows for repositioning where required. 12mm x 5m



**GLU11P**  
Double-Sided Adhesive Foam Tape - Yellow Backing. Designed for automotive trim fixing. Delayed cure allows for repositioning where required. 19mm x 5m.



**GLU24P**  
Double-Sided Adhesive Foam Tape - Yellow Backing. Designed for automotive trim fixing. Delayed cure allows for repositioning where required. 25mm x 10m.



**VC393P**  
Araldite 'Rapid' Super-Strong Adhesive. 2 x 15ml tubes in blister pack. Long lasting and solvent free. Can be painted or sanded. Sets in Minutes. Bonds: Metal, Wood, Masonry, Ceramics, Glass, Most Plastics, Chipboard, Dry Concrete, Leather, Cardboard, Fabric and Rubber.



**VC928P**  
Loctite 'All Plastics' Super Glue Kit. 1 x 2g tube of Super Glue and 1 x 4ml bottle of Activator Primer on blister card. Extra strong formulation for even the most difficult plastics.



**VC929P**  
Loctite '319' Rear View Mirror Bonder. 0.05ml bottle on blister card.



**VC935P**  
Loctite '319' Rear View Mirror Bonder. 0.05ml bottle on blister card.



### VC211P

Hylomar ERP5 Exhaust Assembly Paste. 140g tube. (2 tubes in pack)  
For efficient leak-proof exhaust systems. Asbestos free, withstands 1000 degrees centigrade and has smooth texture for easy working



### VC212P

Hylomar ERP2 Exhaust Repair Putty, 250g tub. (2 tubs in pack)  
For efficient leak-proof repairs. Asbestos free, withstands 1000 degrees centigrade and has smooth texture for easy working



### GLU4AP

Hylomar 'Universal Blue' non-setting Gasket and Jointing Compound. 100g



### GT5/6P

Hylomar 'Universal Blue' non-setting Gasket and Jointing Compound, 40g tube, with 10 sheets of Gasket Paper 30 x 25cm, (5 sheets 0.4mm (1/64") thickness and 5 sheets 0.8mm (1/32") thickness



### VC247P

Dow Corning 'Auto' Silicone. For sealing windscreens and making permanent replacement instant gaskets. 78g Injector Cartridge



### EPT4P

ADVANCE AT87 Self-Amalgamating Tape. For insulating, termination and sealing. 19mm wide x 10m long.



### VC400P

Double-Sided Adhesive Pads - Mirror Pads 40mm x 25mm. Pack of 10

## Consumables



### GLU6P

SAS Attack. Universal Maintenance & Lubricant with PTFE. 200ml Aerosol. Advanced formula with rust inhibitors and moisture displacers. Silicone FREE formula.



### EPT1P

PVC Insulation Tape in black. 19mm wide x 20m long. Pack of 3.




### EPT5P

Loom Tape - Plastic in black. 19mm wide x 33m long



### EPT6P

Loom Tape - Linen in black. 19mm wide x 50m long.



### TAPE4P

ADVANCE 'AT169' Polycloth Duct Sealing Tape (Gaffer) in silver. 50mm wide x 50m long.

### TAPE5P



### TAPE6P

ADVANCE 'AT169' Polycloth Duct Sealing Tape (Gaffer) in white. 50mm wide x 50m long.



### TUB42P

CODAN Advance / Retard Tubing. Soft flexible chloroprene rubber. Inner Diameter 3mm. Length: 1 metre.



### TUB44P

CODAN Advance / Retard Tubing. Soft flexible chloroprene rubber. Inner Diameter 4mm. Length: 1 metre.

## Tools



### KS7102P

Workshop Utility Scissors with Wire Cutters. Stainless steel blades. Ergonomic plastic handles. Supplied with belt storage pouch. Length 140mm.



### KS7506P

Hook and Pickup Set. Ideal for removing and fitting O-rings, cotter pins, seals and bushes. 4 piece set  
1 x Hook and pick up, straight  
1 x Hook and pick up, S-form  
1 x Hook and pick up, 90 degree  
1 x Hook and pick up, round



### BSF275P

Trim Clip Tool. Chrome Vanadium. Shaft Length 150mm




### TNH505P

Door Handle Spring Clip Remover. Extra long offset body. For most cars and trucks. Will not damage upholstery.



### TL671P

'Zippy' Type Scraper, supplied with 5 x single edge steel razor blades.



### TL672P

Single Edge Steel Razor Blades for 'Zippy' Type Scrapers. 15 blades.



### TNY1P

Hyde 'Maxgrip Pro' Stiff Scraper. High carbon steel blade, mirror finished. Blade width 1 1/2" (38mm) Full tang blade construction. Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.



### TNY2P

Hyde 'Maxgrip Pro' Stiff Scraper. High carbon steel blade, mirror finished. Blade width 2" (51mm) Full tang blade construction. Ergo-engineered soft-grip handle to reduce fatigue, absorb shock and increase comfort during extended use.





### TNYP114P

Hyde 'Black and Silver' Chisel Ended Scraper / Putty Knife. High carbon steel blade, mirror finished. Blade width 1 1/4" (32mm) Full tang blade construction. Nylon handle resists most paint thinners and solvents.



### KS4755

Chisel Scraper Set. INOX stainless steel. Hammer through design. 4 piece set. 2 x 1.2mm Scrapers, 25mm and 32mm wide. 2 x 2.5 mm Chisel scrapers, 25mm and 32mm wide

## Boxes of assorted parts.

## PLEASE CONTACT US FOR POSTAGE PRICES AS THESE VARY



### AB30P

Box of Core Plugs- Cup Type in Mild Steel. Imperial sizes. 60 pieces in assorted sizes. 8 sizes: 7/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8", 1 15/16", 2"



### AB120P

Box of Core Plugs- Cup Type in Mild Steel. Metric sizes. 60 pieces in assorted sizes 10 sizes: 18, 22, 24, 26, 28, 30, 32, 34, 36 and 48mm.



### AB32P

Box of Split Pins in Zinc. Imperial (small) sizes. 1000 pieces in assorted sizes. 8 sizes (Outer Diameter x Length): 1/16" x 1" 5/64" x 1" 3/32" x 1" 3/32" x 1 1/2" 7/64" x 1" 1/8" x 1 1/2" 9/64" x 1 1/2" 5/32" x 1 5/8"



### AB38P

Box of '2-Ear' O-Clips 140 pieces in assorted sizes. 6 sizes, Diameter and Range: 3/8" 8-11mm, 7/16" 9-11mm, 1/2" 11-13mm, 9/16" 13-15mm, 5/8" 15-18mm, 3/4" 17-20mm



### AB39P

Box of Glass Fuses. 200 pieces 8 Amperages: 2, 5, 10, 15, 20, 25, 35, 50 A



### AB40P

Box of Torpedo Fuses. 400 pieces 4 Amperages: 5, 8, 16, 25A



### AB41P

Box of Littlefuse ATO Blade Fuses with Fuse Holders. 105 pieces. Standard type blade fuses in 9 Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 A. 5 x Standard Fuse Holders



### AB44P

Box of Blanking and Wiring Grommets in black rubber. 240 pieces Blanking for hole diameters: 8mm, 9.5mm, 12.5mm, 15.5mm, 19mm, 22.5mm, 25.4mm Wiring for hole diameters: 6.4mm, 8mm, 9.5mm, 11mm, 14.2mm, 17.5mm, 19mm



### AB166P

Box of U-Nuts (Speed Fasteners) in Zinc in assorted sizes.. 200 pieces 10 sizes: No. 4, No6 (2 sizes,) No.8 (4 sizes,) No.10, No.12 and No.14



### AB49P

Box of U-Nuts and J-Nuts (Speed Fasteners) in Zinc in assorted sizes.. 300 pieces U-Nuts Nos. 6, 8, 10 and 12 J-Nuts Nos. 8, 10, 12 and 14



### AB63P

Box of Self-Tapping Screws in Zinc in assorted sizes. Countersunk-Pozi. 600 pieces No.6 : 5/8", 3/4", 1", 1 1/2" No.8 : 5/8", 3/4", 1", 1 1/2" No.10 : 5/8", 3/4", 1", 1 1/2"



### AB131P

Box of Self-Tapping Screws in assorted sizes. Pan-Head, Pozi in Black. 700 pieces No.4 x 1/2" No.6 x 1/2" and 3/4" No.8 x 1/2" 3/4" and 1" No.10 x 3/4" and 1"





### AB132P

Box of Sheet Metal Screws with Captive Washers in assorted sizes. 300 pieces  
No.8 x 1/2" and 3/4"  
No.10 x 1/2" and 3/4"  
No.12 x 1/2" and 3/4"  
No.14 x 1/2" and 3/4"



### AB102P

Box of Mini Hose Clips in assorted sizes. 100 pieces  
10 sizes, Diameter and Range in millimeters: 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18mm



### AB169P

Box of Circlips Internal and External. Imperial sizes. 275 pieces in assorted sizes..  
Internal sizes: 7/8", 57/64", 1", 1 1/4", 1 3/8"  
External sizes: 5/8", 3/4", 25/32", 63/64", 13/16", 15/16"

## Badge Fixes



### 403/29P

QTY:80

Push-on fix for 3/32" diameter pin. General application.



### 403/21P QTY:75


Push on fix for 1/8" diameter pin. General application.



### 403/22P

QTY:70

Push on fix for 3/16" diameter pin. General application.



### 403/31P QTY:45

Push on fix for 5/32" diameter pin. (4.0mm) General application



### 403/32P QTY:40

Push on fix for 1/4" diameter pin (6.35mm). General application



### 16920P QTY:35

Metal fix for 3/16" diameter badge pin. Used in 3/8"x21/64" slot. Vauxhall range.



### 18280P QTY:15

Metal fix for 1/8" diameter badge pin. Used in 1/4" X 3/16" slot. General application.



### 70070P QTY:40

Plastic fix for 3/32" diameter badge pin in 9/64" panel hole. General application



### 70080P QTY:45

Plastic fix for 1/8" diameter badge pin in 11/64" panel hole. General application



### 80660P QTY:42

Plastic fix for 3/32" diameter pin in 5/32" panel hole. General application



**80670P** QTY:45  
Plastic fix for 1/8" diameter pin in 3/16" panel hole. General application



**80680P** QTY:42  
Plastic fix for 5/32" diameter pin in 7/32" panel hole. General application



**80690P** QTY:42  
Plastic fix for 3/16" diameter pin in 1/4" panel hole. General application



**BSF254P** QTY:30  
Circular push on ratchet plate for 3/8" pin diameter. General application.



**PUN003P** QTY:25  
Circular push on ratchet plate 3mm stud diameter. General application.



**PUN007P** QTY:25  
Circular push on ratchet plate 5mm stud diameter. Outside Diameter 11.3mm. General application.




**PUN009P** QTY:25  
Circular push on ratchet plate 5mm stud diameter. General application. Outside Diameter 15mm.



**BSF216P** QTY:35  
Circular push on ratchet plate 8mm stud diameter. Outside Diameter 15mm. General application.



**45021P** QTY:30  
Round, ratchet, badge fix for 1/8" pin diameter. General application.



**BSF156P** QTY:35  
Round, ratchet, badge fix for 1/8" pin diameter. General application.



**BSF160P** QTY:40  
Round, ratchet, badge fix for 3/16" pin diameter. General application.



**BSF195P** QTY:35  
Round, ratchet, badge fix for 1/4" pin diameter. General application.




**95020P** QTY:20  
Self threading sealed nut for 1/8" pin diameter. Jaguar




## Brake Hardware




**BN11P**  
QTY:25  
Brake Nuts 10mm x 1mm  
pitch short male, for 3/16"  
pipe




**BN12P**  
QTY:25  
Brake Nuts 10mm x 1mm  
pitch long male, for 3/16" pipe



**BN21P**  
QTY:25  
Brake Nuts 10mm x 1mm  
pitch full threaded long male ,  
for 3/16" pipe




**BN15P**  
QTY:25  
Brake Nuts 10mm x 1.25mm  
pitch long male, for 3/16" pipe



**BN17P**  
QTY:15  
Brake Nuts 12mm x 1mm  
pitch part threaded male, for  
3/16" pipe




**BN1P**  
QTY:25  
Brake Nuts 3/8" unf x 24 tpi  
long male, for 3/16" pipe




**BN3P**  
QTY:30  
Brake Nuts 3/8" bsf x 20 tpi  
long male, for 3/16" pipe




**BN46P** QTY:35  
Brake Nuts 10mm x 1mm  
pitch short female, for 3/16"  
pipe




**BN13P** QTY:25  
Brake Nuts 10mm x 1mm  
pitch full thread male, for  
3/16" pipe




**BN14P** QTY:25  
Brake Nuts 10mm x 1.25mm  
pitch short male, for 3/16"  
pipe



**BN16P** QTY:20  
Brake Nuts 10mm x 1.25mm  
pitch full thread male, for  
3/16" pipe



**BN2P** QTY:25  
Brake Nuts 3/8" unf x 24 tpi  
short male, for 3/16" pipe



**BN42P** QTY:20  
Brake Nuts 3/8" unf x 24 tpi  
short female, for 3/16" pipe



**BN41P** QTY:20  
Brake Nuts 3/8" unf x 24 tpi  
long female, for 3/16" pipe



**BN65P** QTY:10  
Brake Tubing Connectors  
3/8" unf x 24 tpi female- suits  
BN1



**BN63P**  
QTY:1  
Brake Tubing Connector  
3/18" unf x 24 tpi, 3 way-  
suits 3/16" tube



**BN62P** QTY:10  
Brake Tubing Connectors  
10mm x 1mm pitch 25 male-  
suits BN46



**BN66P**  
QTY:8  
Brake Tubing Connectors  
10mm x 1mm pitch 25  
female- suits BN11



**BN67P** QTY:1  
Brake Tubing Connector  
10mm x 1mm pitch 3, 3 way-  
suits 3/16" tube



**BN71P** QTY:10  
Brake Bleed Screws 1/4" unf  
x 28 tpi- for Mini



**BN72P** QTY:10  
Brake Bleed Screws 3/8" unf  
x 24 tpi- for British Cars



**BN85P** QTY:10  
Brake Bleed Screws 6mm x  
1mm pitch x 29mm- for VW,  
BMW



**BN86P** QTY:6  
Brake Bleed Screws 6mm  
x 1mm pitch x 38mm- for VW,  
Audi



**BN81P** QTY:10  
Brake Bleed Screws 7mm x  
1mm pitch - for VW, Audi



**BN82P** QTY:10  
Brake Bleed Screws 8mm x  
1.25mm pitch - for Fiat



**BN84P** QTY:10  
Brake Bleed Screws 10mm x  
1mm medium pitch - for Ford



**BSF198P** QTY: 4  
Brake Hardware- Bowed  
Horseshoe Clips for rear  
wheel cylinder (pack includes  
2 pairs- sufficient for one car).  
Girling Type 75. Early Fords,  
Triumph.



**BSF199P** QTY:25  
Brake Hardware- 'R' clip  
1.5mm dia wire, for front  
caliper kits. Ford, Vauxhall  
and general application.



**BSF203P**  
QTY:15  
Brake Hardware- 3/16" Brake  
line clip with covered brake  
pipe. Hole diameter 1/4".  
General Application.



**BSF227P** QTY:5  
Brake Hardware- Metal  
Brake/Fuel Pipe clip. Triumph  
TR5/6



**BR51P** QTY:40  
Brake Pins- for Ford



**BR52P** QTY:35  
Brake Pins- for Rover





**BR53P** QTY:40  
Brake Pins- for GM



**BR61P** QTY:50  
Brake Washers- for Lockheed type



**BR62P**  
QTY:50  
Brake Washers- for Girling type



**BR71P** QTY:30  
Brake Springs- for Ford



**BR72P**  
QTY:50  
Brake Springs- for Vauxhall, GM



**BR73P** QTY:25  
Brake Springs- for Lockheed



**BR74P**  
QTY:25  
Brake Springs- for BL

## Cable and Wiring Clips and Ties



**FIX60P**  
QTY:16  
Cable Harness Clip- suits Fords



**BSF224P**  
QTY:60  
Cable Tie length 118mm, width 2.5mm with a low profile catch. General application.



**CAT107P**  
QTY:60  
Cable Tie length 165mm, width 2.5mm. General application.

**CAT137P** QTY:15  
Cable Ties for panel fixing. Arrow nose fixing. 5.4mm hole size, 8.0mm wide and 150mm long. General application.


**FIX40P**  
**QTY:18**  
Cable Harness Clips



**CAT118P**  
**QTY:50**  
Cable Tie length  
210mm, width 4.8mm.  
General application.



**FIX50P**      **QTY:20**  
Wiring Loom clip. Ford  
and general application







**80700P**  
QTY:20  
Wiring loom clip. Ford and general application



**80710P** QTY:20  
Wiring Loom Clip. Triumph Stag and general application

## Clevis Pins



### Clevis Pins

- HCP1** 3/16" x 5/8" (4.8mm x 15.9mm). Grip Length 15/32" (12.2mm) QTY:24  
**HCP2** 3/16" x 7/8" (4.8mm x 22.2mm). Grip Length 11/16" (18.0mm) QTY:24  
**HCP3** 1/4" x 1/2" (6.4mm x 12.7mm). Grip Length 9/32" (7.4mm) QTY:24  
**HCP4** 1/4" x 11/16" (6.4mm x 17.5mm). Grip Length 17/32" (13.7mm) QTY:24  
**HCP5** 1/4" x 3/4" (6.0mm x 20mm). Grip Length 25/32" (20.2mm) QTY:24  
**HCP6** 9/32" x 7/8" (7.1mm x 22.2mm). Grip Length 5/8" (16.5mm) QTY:24  
**HCP7** 5/16" x 1" (7.9mm x 25.4mm). Grip Length 25/32" (20.2mm) QTY:20  
**HCP8** 3/8" x 1 1/4" (9.5mm x 31.8mm). Grip Length 29/32" (23.6mm) QTY:20

## Control Cable / Rod Clips- Metal and Plastic



**BSF262P** QTY:3  
Choke cable to carburettor abutment bracket clip. Classic Mini Austin-Morris part no. 13H3472



**39821P** QTY:10  
Metal Linkage Clip for throttle and door linkages. Ford and General application.

Avenger, Humber Sceptre and Ford Vehicles.



**LIC031P** QTY:8  
Linkage clip for 6.4mm diameter linkage. General application.



**23250P** QTY:10  
For securing 3/16" diameter Bowden type control cable. Super Minx, Singer Vogue,

**17480P** QTY:8

Metal linkage clip for  
4.8mm diameter link.  
Jaguar 'E' Type.  
Jaguar part no.  
C13824 /  
5J10056  
Rootes part no. 116554



**LIC003P**


QTY:15

Linkage clip in plastic for a  
1/8" diameter rod.  
General application.



**34730P** QTY:10

Moulding Clip for a  
16.7mm moulding gap.  
Vauxhall range.





**26791P** QTY:10  
 Armoured control cable clip  
 for a 4.8mm-5.6mm cable.  
 General application

**BSF192P** QTY:10  
 Door Trim Pad Clip, Early Fords and general application.



**76560P**  
 QTY:15  
 Captive door lock bush. Ford  
 range and general  
 application.



## Door Trim Pad Clips



**BSF188P**  
 QTY:25  
 Door Trim Pad Clip, suits  
 VW.



**11480P**  
 QTY:23  
 Spring retainer for snap fit in  
 7.2mm panel hole and for  
 total material thickness of  
 4.0mm. Minor 1000 and  
 general application..



**14190P**  
 QTY:25  
 Spring retainer for snap fit  
 6.3mm panel hole and 3mm  
 total material thickness.  
 General application



**14480P**  
 QTY:30  
 Door trim pad clip for .100"  
 board and snap fit in 1/4"  
 panel hole. Triumph Herald,  
 Spitfire, TR6,GT6, Jaguar,  
 Minor 1000 & general  
 application.



**BSF071P** QTY:20  
 Door trim pad clip, fir tree  
 type. General application.  
 Rover, Reliant.

29750P QTY: 10 Armoured control cable clip for a 4.8mm cable. Panel thickness 0.6 - 1.6mm.

General application: Trim upholstery partition. 516962A  
FIX 140P QTY: 14 Nylon snap-in nut, suit



ts VW, Audi



**10020P** QTY:27  
Spring retainer for a snap fit in 6.3mm panel hole and for total material thickness of 2.0mm. Minor 1000.



**12770P** QTY:25  
Spring retainer for a snap fit into a 7.0mm hole ; for a total material thickness of 5.0mm. General application



**14000P** QTY:30  
Door trim pad clip for .100" board and snap fit in 9/32" panel hole. General application.



**16000P** QTY:30  
Door trim pad clip for .110" board and snap fit in 1/4" panel hole. BL Maxi, MG and general application.



**97530P** QTY:24  
Door Trim Pad Clip for Rover SD1



**BSF035P** QTY:15  
Rear Door Trim Pad Clip in Red. Land Rover Discovery Series 1 & 2  
Land Rover part no. DKP5279L



**12288P**  
**QTY:30**  
 'Snapsac' sealing sleeve for assembly in 21/64" diameter panel hole and use with any of our door trim pad clips. Triumph and general application.



**17580P**      **QTY:30**  
 'V' panel springs for panel thickness of 5.5mm, panel hole of 8.0mm. General application.



**BSF287P**  
**QTY:6**  
 Mini Estate rear compartment edge trim clip, for use with part no. 14480. Austin-Morris part no. 14A8095



**BSF058P**  
**QTY:12**  
 Mild steel pronged, trim board staple for use with either Part Nos. 10020 or 11480. General application



**BSF062P**      **QTY:12**  
 Mild steel pronged, trim board staple for use with either part no. 10020, 11480, 12770, or 14190. General application.



**BSF087P**      **QTY:12**  
 Backing plate for interior trim used with BSF068 rivet, BSF107 and 11480. Rover, Rolls Royce and Bentley.



**BSF107P**      **QTY:25**  
 Brass washer used with BSF087 and 11480. Rolls Royce, Bentley and Rover.



**78020P**      **QTY20**  
 Trim fastener for .090" board thickness and snap-fit in 21/64" diameter panel hole. All early Fords. N.B. FIX37 is same dimensions but in white



**FIX37P**      **QTY:20**  
 Panel Clip, White. 18mm diameter to fit 8mm hole. Suits Ford and VW. N.B. 78020 is same dimensions but in grey



**79010P**  
**QTY:24**  
 For .090" board thickness and snap fit in 21/64" diameter panel hole. All Ford cars from mid - 1981



**75001P**      **QTY:26**  
 For .095" board thickness and snap fit in 11/32" diameter panel hole. BL Marina, Mini and MG



**73071P**  
**QTY:20**  
 For 0.110" board thickness and snap fit in 11/32" diameter panel hole. Porsche, Triumph Stag.



**TPF048P**      **QTY: 28**  
 Cant Rail Trim. Fir tree type. Jaguar XJ40 and general application. Used with 12288.



## 'Durable Dot' and 'Lift The Dot' Studs



**550P** QTY:35  
Stud for use with either the 'Durable' snap fastener or 'Veltex' carpet fastener  
General application



**78874P** QTY:20  
Durable Dot stud, complete with Nr 5 wood screw.  
General application.



**757P** QTY:20  
Durable Dot stud, with a reduced diameter of 12.0mm, in nickel plate.  
General application



**548P** QTY:15  
Durable Dot Socket.  
General application



**550-OA EYELETP** QTY:35  
Durable Dot Eyelet.  
General application



**665P** QTY:20  
Durable Dot Button, diameter 16.0mm and height 9.0mm, in nickel plate.  
General application



**670P** QTY:15  
Durable Dot Button, diameter 15.0mm and height 6.0mm, in nickel plate. General application



**E670P** QTY:15  
Durable Dot button, head size 15.0mm in Ebanol black.  
General application



**E671P** QTY:15  
Durable Dot button, head size 14.0mm in Ebanol black.  
General application



**882.2BAP** QTY:6  
Lift The Dot fastener, thread height 10.0mm with 2BA thread size. General application



**882-07.2BA** QTY:6  
Lift The Dot fastener, thread height 15.0mm, with 2BA thread size. General application.



**883.2BAP** QTY:6  
Lift The Dot fastener, double height with a 2BA thread size. General application. (Ossian)



**853P** QTY:6  
Lift The Dot fastener, double height with a self-tapping thread. General application. (Ossian)




**952P** QTY:6  
Lift the Dot stud with 3/8" x No. 10 self tapping screw used with Part Nos. 608 and 708A combination. General application.



**895P** QTY:6  
Two pronged Lift the Dot stud. Use with washer 295.  
General application.







**844P** QTY:5  
Lift the Dot stud.  
General application.



**844AP** QTY:25  
Clamping washer for Lift the  
Dot stud. General application.



**248P** QTY:3  
Lift the Dot stud with two  
screw base used with Nos.  
608 and 708A combination.  
General application



**852P** QTY:8  
Lift the Dot stud with wood  
screw thread. General  
application.



**608-708AP**  
QTY:4  
Lift The Dot Socket and  
Clinch Plate. General  
application.



**74879P** QTY:14  
Carpet Fastener used with  
541A. MG, Mini, Triumph  
range and general  
application.



**541P** QTY:7  
Carpet/Hood fastener used  
with 541A or 541Ablk.  
General application



**541AP** QTY:14  
Carpet ring used with 74879.  
General application



**541AblkP**  
QTY:14  
Carpet ring used with 74879  
in black. General application.

## Edge Clips (including 'D' and 'S' types and Edge Panel Clips)



**13210P** QTY:55  
'D' type edge clip for 1.4mm  
material thickness. BL Rover,  
Triumph, Hillman Minx,  
Singer Gazelle and Vogue,  
Sunbeam Rapier



**14360P** QTY:50  
'D' type edge clip for 2.0mm  
material thickness. Humber  
Sceptre, Lotus Elan, and  
general application.



**16220P** QTY:55  
'D' type edge clip for 1.2 -  
3.4mm material thicknesses.  
All BL Austin/Morris, Triumph,  
Rover, Saab and general  
application.



**16460P** QTY:30  
'D' type edge clip height  
9.0mm, for material thickness  
of 2.8mm. General  
application.



**22800P QTY:35**  
'D' type edge clip for 3.6mm material thickness. BL Allegro, Triumph Spitfire and general application.



**24680P QTY:25**  
'D' type edge clip, height 11.0mm and material thickness of 4.8mm-5.0mm. 'E' Type Jaguar and General application.



**.13710P QTY:55**  
Edge clip 8.7mm height ,for material thickness of 0.8 - 2.0mm, width 12.7mm. General application.



**11560P QTY:35**  
Edge clip 8.7mm height ,for material thickness of 2.0- 2.8mm, width 12.7mm. General application



**11950P QTY:35**  
Edge clip 8.7 height, for material thickness of 3.2- 3.6mm, width 12.7mm. General application.



**14570P QTY:55**  
Edge clip for 0.8 - 2.0mm material thicknesses. Minor 1000, Humber Sceptre and general application.



**16592P QTY:40**  
Edge clip for 2.0-2.5 material thicknesses. Jaguar 'E' type sill finisher.



**18670P QTY:30**  
Edge clip for material thickness 3.2mm - 5.1mm and 12.7mm depth. Jaguar XJ6



**25460P QTY:28**  
Edge panel clip, height 6.7mm, width 7.9mm and material thickness of 2.0mm- 2.5mm. Early Fords.



**35550P QTY:35**  
Edge panel clip, height 5.0mm, width 12.7mm and material thickness 0.5mm- 2.0mm. Ford headlining clip.



**BSF091P QTY:15**  
Edge panel clip, height 9.5mm for 9.0mm-9.5mm material thickness. General application.




**38201P QTY:25**  
'S' type edge clip for 0.2 - 1.2mm and 1.8 - 2.1mm material thicknesses. Depth 11.9mm and width 12.7mm. General application.



**11516P QTY:32**  
'S' type edge clip for 0.75 - 1.25mm and 2.0 - 2.3mm material thickness. General application.



**11517P QTY:26**  
'S' type edge clip for 1.2 and 2.2mm material thicknesses. Triumph and general application.



**16980P QTY:26**  
'S' type edge clip for panel thicknesses 1.5-2.4mm and 2.6-3.2mm with flush outer sides. Landrover and general application.



**19190P QTY:26**  
'S' type edge clip for material thicknesses 1.0mm - 2.0mm and 1.4mm - 2.00, and 8.7mm depth. General application.



**23400-23970P** QTY:27  
'S' type edge panel clip, height 12.0mm, panel thickness 1.3mm and 1.2mm. TR5 weatherstrip seal and general application.



**33100P** QTY:30  
'S' type edge clip for 2.2mm and 2.9mm material thicknesses. Depth 9.7mm and width 12.7mm. General application.



**22970P** QTY:20  
'S' type edge panel removeable clip, height 8.0mm, panel thickness 1.2mm and 1.6mm. General application.



**27760P** QTY:10  
'S' type edge clip for 2.4mm and 5.5mm material thicknesses. Depth 17mm and Width 12.7mm. Not barbed. Triumph Stag seat back.

## Edge / Tongue Cable / Pipe Clips



**20682P** QTY:15  
Edge cable/pipe clip for 1/4" brake pipe and 1.0-1.6mm panel thickness. Triumph.



**24571P** QTY:25  
Edge cable/pipe clip for twin 3/32" diameters and 3.5mm panel thickness. General Application.



**CAC253P** QTY:20  
Edge cable/pipe clip for twin 3/16" diameters and 0.6-4.5mm panel thickness. Ford Capri MK1 and general application.



**BSF250P** QTY:20  
Edge cable/pipe clip for twin 3/16" diameters and 2.0-4.7mm panel thickness. General application. Standard-Triumph part no. 618386.



**15350P** QTY:18  
Edge cable/pipe clip for twin 1/4" diameters and 1.0 - 1.6mm panel thickness. General purpose



**16240P** QTY:16  
Edge cable/pipe clip for 3.2mm diameter and 0.6 - 1.2mm panel thickness. General application



**14440P** QTY:11  
Edge cable/pipe clip for twin 5/16" diameters and 1.0 - 1.2mm panel thickness. General purpose



**12380P** QTY:20  
Cable/pipe clip (Tongue type) for 4.8mm diameter cable/pipe. General application and early Fords.



**14020P** QTY:15  
Cable/pipe clip (Tongue type) for 4.75mm diameter cable/pipe. General application.





### 17830P QTY:11

Edge cable/pipe clip for 4.8mm diameter and 1.8 - 2.8mm panel thickness  
General application



### 15540P QTY:18

Edge cable/pipe clip for 6.1mm diameter and 0.5 - 1.2mm panel thickness  
General application



### 36010P


QTY:20

Edge/cable/pipe clip for 7.5mm diameter. Panel thickness from 2.0mm - 4.1mm. General application



### 14090P QTY:15

Cable/pipe clip (Tongue type) for 8.0mm diameter cable/pipe. General application and early Fords.



### CAC270P QTY:20

Edge/Cable/Pipe clip for 8.2mm diameter pipe and 1.8 - 2.4mm panel thickness. General application.



### 18580P QTY:16

Edge cable/pipe clip for 8.5mm diameter and 1.2 - 2.0mm panel thickness. General application.



### CAC275P QTY:15

Edge cable/pipe clip for 10.9mm diameter pipe and 1.2mm panel thickness. Mini overflow pipe. Austin-Morris part no. ARA951



### 13620P QTY:25

Edge cable/pipe clip for 11.1mm diameter pipe and 0.6-1.2mm panel thickness. Ford radiator overflow pipe




### 17100P QTY:20

Metal "in air" pipe clip for 2 X 5/16" diameter pipes. Triumph.



### BSF061P QTY:12

Right angled mount screw/rivet fix. General application.



### BSF064P

QTY:12

Right angled cable/pipe clip, screw/rivet fix. 3/16" pipe size. General application.



### 94500P

QTY:6


Clip-on fuel pipe clip. Austin Princess and general application.



### 94501P QTY:6

Battery cable clip. Ford Transit and general application.

## Exhaust Manifold Studs, Nuts and Hardware



**EM1P**  
QTY:6  
Exhaust Bobbin, 5/16" UNF  
thread. Classic Mini.



**BSF233P** QTY:2  
Exhaust Mounting in Rubber .  
Ford range.



**HBN8P**  
QTY:32  
Exhaust Manifold Nuts,  
copper flashed steel (DIN  
980) M8 x 1.25mm



**HBN7P** QTY:32  
Exhaust Manifold Nuts,  
copper flashed steel (DIN  
980) M10 x 1.5mm



**HBN5P**  
QTY:32  
Exhaust Manifold Nuts,  
brass, M8 x 1.25mm



**HBN6P** QTY:32  
Exhaust Manifold Nuts,  
brass, M10 x 1.25mm



**HBN10P**  
QTY:32  
Exhaust Manifold Nuts,  
flanged tri-lock, zinc-gold  
M10 x 1.25mm



**HMS11P** QTY:16  
Exhaust Manifold Studs M8 x  
37 x 1.25 pitch



**HMS12P**  
QTY:16  
Exhaust Manifold Studs M8 x  
42 x 1.25 pitch



**HMS13P** QTY:16  
Exhaust Manifold Studs M10  
x 37 x 1.25 pitch



**HMS14P**  
QTY:16  
Exhaust Manifold Studs M10  
x 38 x 1.5 pitch



**HMS15P** QTY:16  
Exhaust Manifold Studs M10  
x 52 x 1.5 pitch




**HMS16P**  
QTY:16  
Exhaust Manifold Studs M10  
x 55 x 1.5 pitch



**EX118P:** Exhaust Clamps 28mm (1 1/8") QTY:6  
**EX114P:** Exhaust Clamps 32mm (1 1/4") QTY:6  
**EX138P:** Exhaust Clamps 35mm (1 3/8") QTY:6  
**EX112P:** Exhaust Clamps 38mm (1 1/2") QTY:6  
**EX158P:** Exhaust Clamps 40mm (1 5/8") QTY:6

EX116P: Exhaust Clamps 43mm (1 11/16") QTY:6  
EX134P: Exhaust Clamps 45mm (1 3/4") QTY:6  
EX178P: Exhaust Clamps 48mm (1 7/8") QTY:6  
EX2P: Exhaust Clamps 52mm (2 1/16") QTY:6  
EX218P: Exhaust Clamps 54mm (2 1/8") QTY:6  
EX214P: Exhaust Clamps 58mm (2 1/4") QTY:6





EX238P: Exhaust Clamps 60mm (2 3/8")	QTY:6
EX212P: Exhaust Clamps 64mm (2 1/2")	QTY:6
EX258P: Exhaust Clamps 67mm (2 5/8")	QTY:6
EX234P: Exhaust Clamps 70mm (2 3/4")	QTY:6
EX318P: Exhaust Clamps 80mm (3 1/8")	QTY:4
EX358P: Exhaust Clamps 92mm (3 5/8")	QTY:4

## Eyelets and Rings



### BP28P

Eyelets and Tool to Apply  
(includes 15 x 12.7mm eyelets  
and washers)



### B18P

QTY:15pairs Brass  
Eyelet and Ring assembly -  
3/16" diameter. (15 pairs in  
pack)



### BP20P

QTY:25pairs Brass  
Eyelet and Ring assembly -  
1/4" diameter.  
(25 pairs in pack)



### B22P

QTY:25pairs Brass  
Eyelet and Ring assembly -  
5/16" diameter. (25 pairs in  
pack)



### B24P

QTY:25pairs Brass Eyelet  
and Ring assembly - 3/8"  
diameter.  
(25 pairs in pack)



### B26P

QTY:15pairs Brass  
Eyelet and Ring assembly -  
7/16" diameter. (15 pairs in  
pack)



### B28P

QTY:25pairs Brass  
Eyelet and Ring assembly -  
1/2" diameter  
(25 pairs in pack)

## Hose Clips



### 35571P QTY:24

For 10.5 - 12.5mm outside  
hose diameter. Chevette and  
Rover



### 35581P QTY:20

For 12.5 - 14.0mm outside  
hose diameter. Rover, Escort,  
Chevette and SAAB



### 35591P QTY:14

For 14.0 - 15.7mm outside  
hose diameter. SAAB and all  
Ford car fuel lines.



### 42370P QTY:15

For 12.5 - 13.6mm outside  
hose diameter. General  
application.



**BSF157P** QTY:10  
Single wire hose clip 'pinch'  
type. 1/2" outer hose  
diameter.



### **JUB100P**

**JUBILEE Hose Clips Dispenser with 100 Clips and 2 Hose Clip drivers. (Clips are mild steel zinc plated)**  
**Band width 9mm in 3 sizes- see below: 000, M00, 00**  
**Band Width 13mm in 7 sizes- see below: 0, 0X, 1A, 1, 1X, 2A, 2**



### **JUBILEE Hose clips, mild steel zinc plated, band width 9mm**

JUB000 for hoses 9.5-12mm (3/8"-1/2") QTY:10  
JUBM00 for hoses 11-16mm (1/2"- 5/8") QTY:10  
JUB00 for hoses 13-20mm (1/2"- 3/4") QTY:10



### **JUBILEE Hose clips, mild steel zinc plated, band width 13mm**

JUB0 for hoses 16-22mm (5/8"- 7/8") QTY:10  
JUB0X for hoses 18-25mm (3/4"- 1") QTY:10  
JUB1A for hoses 22-30mm (7/8"- 1 1/8") QTY:10  
JUB1 for hoses 25-35mm (1"- 1 3/8") QTY:10  
JUB1X for hoses 30-40mm (1 1/8"- 1 5/8") QTY:8  
JUB1M for hoses 32-45mm (1 1/4"- 1 3/4") QTY:8  
JUB2A for hoses 35-50mm (1 3/8"- 2") QTY:8  
JUB2 for hoses 40-55mm (1 5/8"- 2 1/8") QTY:8  
JUB2X for hoses 45-60mm (1 3/4"- 2 3/8") QTY:8  
JUB3 for hoses 55-70mm (2 1/8"- 2 3/4") QTY:6  
JUB3X for hoses 60-80mm (2 3/8"- 3 1/8") QTY:6  
JUB4 for hoses 70-90mm (2 3/4"- 3 1/2") QTY:6  
JUB4X for hoses 80-100mm (3 1/4"- 4") QTY:6  
JUB5 for hoses 90-120mm (3 3/4"- 4 3/4") QTY:4  
JUB6 for hoses 110-140mm (4 1/4"- 5 1/2") QTY:4  
JUB7 for hoses 135-165mm (5 1/4"- 6 1/2") QTY:4



### **Hose clips, mild steel zinc plated, band width 9.5mm**

JCS000 for hoses 9.5-12mm (3/8"-1/2")  
QTY:15

JCSM00	for hoses 11-16mm (1/2"- 5/8") QTY:15
JCS00	for hoses 13-20mm (1/2"- 3/4") QTY:15



**Hose clips, mild steel zinc plated, band width 12.5mm**

JCS0	for hoses 14-22mm (5/8"- 7/8")	QTY:10
JCS0X	for hoses 17-25mm (3/4"- 1")	QTY:10
JCS1A	for hoses 20-30mm (7/8"- 1 1/8")	QTY:10
JCS1	for hoses 25-35mm (1"- 1 3/8")	QTY:10
JCS1X	for hoses 30-40mm (1 1/8"- 1 5/8")	QTY:10
JCS245	for hoses 35-45mm (1 3/8"- 1 3/4")	QTY:10
JCS2A	for hoses 35-50mm (1 3/8"- 2")	QTY:10
JCS2	for hoses 40-55mm (1 5/8"- 2 1/8")	QTY:10
JCS2X	for hoses 45-60mm (1 3/4"- 2 3/8")	QTY:10
JCS3	for hoses 55-70mm (2 1/8"- 2 3/4")	QTY:10
JCS3X	for hoses 60-80mm (2 3/8"- 3 1/8")	QTY:5
JCS4	for hoses 70-90mm (2 3/4"- 3 1/2")	QTY:5
JCS4X	for hoses 80-100mm (3 1/8"- 4")	QTY:5
JCS5	for hoses 90-120mm (3 1/2" - 4 3/4")	QTY:5
JCS6	for hoses 110-140mm (4 3/8" - 5 1/2")	QTY:5
JCS7	for hoses 130-160mm (5 1/8" - 6 1/4")	QTY:5



**Hose clips, stainless steel , band width 9.5mm**

JSS000	for hoses 9.5-12mm (3/8"-1/2")	QTY:4
JSSM00	for hoses 11-16mm (1/2"-	QTY:4
JSS00	for hoses 13-20mm (1/2"- 3/4")	QTY:4



**Hose clips, stainless steel , band width 12.5mm**

JSS0	for hoses 14-22mm (5/8"- 7/8")	QTY:4
JSS0X	for hoses 17-25mm (3/4"- 1")	QTY:4
JSS1A	for hoses 20-30mm (7/8"- 1 1/8")	QTY:4
JSS1	for hoses 25-35mm (1"- 1 3/8")	QTY:3
JSS1X	for hoses 30-40mm (1 1/8"- 1 5/8")	QTY:3
JSS245	for hoses 35-45mm (1 3/8"- 1 3/4")	QTY:3
JSS2A	for hoses 35-50mm (1 3/8"- 2")	QTY:3
JSS2	for hoses 40-55mm (1 5/8"- 2 1/8")	QTY:3
JSS2X	for hoses 45-60mm (1 3/4"- 2 3/8")	QTY:3
JSS3	for hoses 55-70mm (2 1/8"- 2 3/4")	QTY:2
JSS3X	for hoses 60-80mm (2 3/8"- 3 1/8")	QTY:2
JSS4	for hoses 70-90mm (2 3/4"- 3 1/2")	QTY:2
JSS4X	for hoses 80-100mm (3 1/8"- 4")	QTY:2
JSS5	for hoses 90-120mm (3 1/2" - 4 3/4")	QTY:2
JSS6	for hoses 110-140mm (4 3/8" - 5 1/2")	QTY:2
JSS7	for hoses 130-160mm (5 1/8" - 6 1/4")	QTY:2

## Insulated Terminals

# NEW BOX



Box of assorted insulated terminals. Top up the box with individual packs as required.

AB509P  
QTY:  
600



ET3P QTY:100  
Push-on females 2.8mm, for cable size 0.5mm-1.5mm, in red



ET4P QTY:100  
Push-on females 4.8mm, for cable size 0.5mm-1.5mm, in red



ET6P QTY:100  
Push-on females 6.3mm, for cable size 0.5mm-1.5mm, in red



ET44P QTY:50  
Push-on females, fully insulated 2.8mm, for cable size 0.5mm-1.5mm, in red



ET45P QTY:50  
Push-on females, fully insulated 4.8mm, for cable size 0.5mm-1.5mm, in red



ET9P QTY:5  
Push-on females, fully insulated 6.3mm, for cable size 0.5mm-1.5mm, in red



ET13P QTY:50  
Piggy-backs 6.3mm, for cable size 0.5mm-1.5mm, in red



ET36P QTY:100  
Push-on males 6.3mm, for cable size 0.5mm-1.5mm, in red



ET48P QTY:50  
Push-on males, fully insulated 6.3mm, for cable size 0.5mm-1.5mm, in red



ET15P QTY:100  
Bullets, 4.0mm outside diameter, for cable size 0.5mm-1.5mm, in red



ET18P QTY:100  
Receptacle sockets 4mm outside diameter, for cable size 0.5mm-1.5mm, in red



ET33P QTY:100  
Butt connectors 3.3mm outside diameter, for cable size 0.5mm-1.5mm, in red



ET51P QTY:100  
Forks 3.7mm (4BA), for cable size 0.5mm-1.5mm, in red



ET20P QTY:100  
Rings (standard length) 4.3mm hole size, for cable size 0.5mm-1.5mm, in red



ET55P QTY:50  
Blades 18mm length, 2.3mm width, for cable size 0.5mm-1.5mm, in red

**ET53P** QTY:100  
Forks 5.3mm (2BA), for cable  
size 0.5mm-1.5mm, in red

**ET57P** QTY:100  
Pins 12mm length, 1.9mm  
outside diameter, for cable  
size 0.5mm-1.5mm, in red



**ET22P** QTY:100  
Rings (standard length)  
5.3mm (2BA) hole size, for  
cable size 0.5mm-1.5mm, in





**ET25P**  
QTY:100  
Rings (standard length)  
6.4mm (1/4") hole size, for  
cable size 0.5mm-1.5mm, in  
red



**ET5P**  
QTY:100  
Push-on females 4.8mm, for  
cable size 1.5mm-2.5mm, in  
blue



**ET46P**  
QTY:50  
Push-on females, fully  
insulated 4.8mm, for cable  
size 1.5mm-2.5mm, in blue



**ET14P** QTY:100  
Piggy-backs 6.3mm, for  
cable size 1.5mm-2.5mm, in  
blue



**ET16P** QTY:100  
Bullets, 5.0mm outside  
diameter, for cable size  
1.5mm-2.5mm, in blue



**ET34P** QTY:100  
Butt connectors 4mm outside  
diameter, for cable size  
1.5mm-2.5mm, in blue



**ET54P**  
QTY:100  
Forks 5.3mm (2BA), for cable  
size 1.5mm-2.5mm, in blue



**ET58P** QTY:100  
Pins 12mm length, 1.9mm  
outside diameter, for cable  
size 1.5mm-2.5mm, in blue



**ET23P**  
QTY:100  
Rings (standard length)  
5.3mm (2BA) hole size, for  
cable size 1.5mm-2.5mm, in  
blue



**ET29P** QTY:100  
Rings (standard length)  
8.4mm (5/16") hole size, for  
cable size 1.5mm-2.5mm, in  
blue



re  
**ET28P** QTY:100  
Rings (standard length)  
8.4mm (5/16") hole size, for  
cable size 0.5mm-1.5mm, in  
red



**ET7P** QTY:100  
Push-on females 6.3mm, for  
cable size 1.5mm-2.5mm, in  
blue



**ET10P** QTY:100  
Push-on females, fully  
insulated 6.3mm, for cable  
size 1.5mm-2.5mm, in blue



**ET37P** QTY:100  
Push-on males 6.3mm, for  
cable size 1.5mm-2.5mm, in  
blue



**ET19P** QTY:100  
Receptacle sockets 5mm  
outside diameter, for cable  
size 1.5mm-2.5mm, in blue



**ET52P** QTY:100  
Butt connectors 4mm outside  
diameter, for cable size  
1.5mm-2.5mm, in blue



**ET56P** QTY:50  
Blades 18mm length, 2.3mm  
width, for cable size 1.5mm-  
2.5mm, in blue



**ET21P** QTY:100  
Rings (standard length)  
4.3mm hole size, for cable  
size 1.5mm-2.5mm, in blue



**ET26P** QTY:100  
Rings (standard length)  
6.4mm (1/4") hole size, for  
cable size 1.5mm-2.5mm, in  
blue



**ET31P** QTY:100  
Rings (standard length)  
10.5mm (3/8") hole size, for  
cable size 1.5mm-2.5mm, in  
blue



**ET42P**  
QTY:50  
Rings (standard length)  
13mm (1/2") hole size, for  
cable size 1.5mm-2.5mm, in  
blue



**ET12P**  
QTY:50  
Push-on females 9.5mm, for  
cable size 4mm-6mm, in  
yellow



**ET49P**  
QTY:25  
Push-on females, fully  
insulated 9.5mm, for cable  
size 4mm-6mm, in yellow



**ET35P**  
QTY:50  
Butt connectors 5.5mm  
outside diameter, for cable  
size 4mm-6mm, in yellow



**ET24P**  
QTY:50  
Rings (standard length)  
5.3mm (2BA) hole size, for  
cable size 4mm-6mm, in  
yellow



**ET30P**  
QTY:50  
Rings (standard length)  
8.4mm (5/16") hole size, for  
cable size 4mm-6mm, in yell



**ET43P**  
QTY:50  
Rings (standard length)  
13mm (1/2") hole size, for  
cable size 4mm-6mm, in  
yellow



**ET8P** QTY:100  
Push-on females 6.3mm, for  
cable size 4mm-6mm, in  
yellow



**ET11P** QTY:50  
Push-on females, fully  
insulated 6.3mm, for cable  
size 4mm-6mm, in yellow



**ET38P** QTY:50  
Push-on males 6.3mm, for  
cable size 4mm-6mm, in  
yellow



**ET59P** QTY:50  
Pins 14mm length, 2.9mm  
outside diameter, for cable  
size 4mm-6mm, in yellow



**ET27P** QTY:50  
Rings (standard length)  
6.4mm (1/4") hole size, for  
cable size 4mm-6mm, in yello

**FIX68P** QTY:15  
Bonnet Stay Clip, white- suits  
VW



## Miscellaneous Parts



ET32P

QTY: 50 Rings (standard length) 10 . 5 mm (3 / 8 ") hole size ; for cable size 4 mm - 6 mm ; in y

e  
l  
o

ord.

BCC009P

QTY: 5 Bonnet stay fastener . General application , F





**FIX32P**  
QTY:4  
Bonnet Buffers



**BSF280P** QTY:4  
Aluminium shim, 0.128" thick,  
for bonnet hinge on the  
Jaguar 'E' Type.



**76285LHP**  
QTY:2  
Left hand side Mirror Base.  
MG, Mini, Marina, Princess



**76285RHP** QTY:2  
Right hand side Mirror Base.  
MG, Mini, Marina, Princess



**FIX18P**  
QTY:16  
Door Hinge Pins DIN 1481  
size 8 x 55mm- suits Ford




**BSF063P** QTY:24  
Special retainer for door  
sealing strip - snap fits into  
1/4" diameter hole.Minor  
1000, Austin A35 and  
Triumph.



**77662P** QTY:25  
Sill cover fix in black. BL  
Allegro.



**BSF159P**  
QTY:4(PRS  
) Headrest Bezel and Washer  
finished in Nickel Plate. (4  
pairs in pack)Triumph range,  
MGB, Mini, Rover and  
general application.



**BSF147P** QTY:  
12  
Insonic stud M4 x 10mm BR  
SC



**TC3101/12P** QTY:18  
Tool clip, closed type, 1/2"  
diameter. General  
application.



**TC3101/11P**  
QTY:20  
Tool clip, closed type, 3/8"  
diameter. General  
application.

## Moulding Clips - Plastic



**12330P**  
QTY:24  
For 5.0mm moulding gap and  
4.4mm panel hole. VW, Audi,  
Volvo, and MG



**70520P** QTY:20  
Moulding clip for a 5.5mm  
moulding gap and a 4.0mm  
panel hole. Viva HA, Jaguar.



**12869P** QTY:24  
Moulding clip for 5.5mm moulding gap and 4.4mm panel hole. Mini Estate.



**77380** QTY:30  
Moulding clip for a 6.5mm moulding gap and 4.0mm panel hole. Vauxhall Chevette.



**70681** QTY:14  
Moulding clip for 6.5mm moulding gap and 5.0mm panel hole. Triumph Dolomite, Vauxhall Victor and general application. Standard-Triumph part no.630534



**12746P** QTY:30  
Moulding clip for 6.5mm moulding gap and 6.5mm panel hole. General application.



**12434P** QTY:26  
Moulding clip for 7.0mm gap and 5.0mm panel hole. Vauxhall



**72650P** QTY:23  
Moulding clip for 7.1mm moulding gap and a 4.8mm panel hole. Triumph, Austin



**12724P** QTY:30  
Moulding clip for 8.0mm moulding gap and 6.5mm panel hole. VW Golt Mk1 Sill and general application.



**73281P** QTY:22  
For 9.0mm moulding gap and 4.0mm panel hole. Ford Cortina, Capri, Escort and Granada



**70600P** QTY:27  
For 9.8mm moulding flange gap, and 4mm panel hole. Chrysler Avenger, BL Triumph Dolomite



**73371P** QTY:25  
For 14.3mm moulding gap and 4.8mm panel hole. BL Rover, Triumph 2000, Ford Cortina and Granada



**76881P** QTY: 25  
Moulding Clip for a 14.7mm moulding gap and 4.8mm panel hole. Humber Sceptre



**13080P** QTY:10  
Moulding clip for 19.8mm moulding gap and 8.0mm panel hole. Fiat, Lancia and General application.



**73590P** QTY:15  
Moulding clip for a 20.7mm moulding gap and a 5mm panel hole. Sunbeam Imp, Avenger sill.



**AP0224P** QTY:15  
2 piece plastic moulding clip white with black base, for an 8mm panel hole- VW Golf3

**BSF281** QTY:6  
Mercedes Side moulding clip. Mercedes W124 Mercedes part no.0069887278





**BSF282P** QTY:15  
Side moulding clip for a 11.5mm moulding gap and a 7.0mm panel hole. Mercedes and general application. Mercedes part no. 0009902192



**AP0199P** QTY: 40  
VW Golf/Beetle Side Moulding Clip. Part no. 113853585C/ N143893



**77670P** QTY:20  
Sill cover fix in black. BL Allegro. Ford part no. E864682.S Unipart part no. GHF1170


## Moulding Clips - Metal




**BSF257P** QTY:20  
Moulding clip for 7.1mm moulding gap. Triumph TR5/6, Jaguar MK11, Riley Elf.



**17750P** QTY:35  
For 7.1mm moulding gap. Humber Hawk, Super Minx, Rover 100, Jaguar, and MG Midget. Used with BSF050



**17441P** QTY:35  
For 10.0mm moulding gap. Vauxhall PA, Chrysler Avenger




**17960P** QTY:35  
For 11.5mm moulding gap. Lotus Elan, MG and replacement for BSF076.



**25190P** QTY:18  
Moulding clip for a 15.0mm moulding gap and 3.2mm offset panel hole. Early Vauxhall range.




**34060P** QTY:25  
Moulding clip for a 7.2mm moulding gap. Ford Escort Mk1 window finisher moulding.



**37151P** QTY:20  
For 8.8mm moulding flange gap. BL Marina wheel arch, Mini and replacement for BSF084




**39691P** QTY:29  
For 14.8mm mould gap. Hillman Hunter




**BSF052P** QTY:29  
For 14.8mm moulding gap. Rover P5 body side moulding




**16030P** QTY:12  
For 21.8mm moulding gap. Vauxhall range.



**BSF069P QTY:16**  
Moulding clip for 22.8mm moulding gap. Humber, Hillman Hunter range.



**BSF126P QTY:25**  
Moulding Clip for a 16.7mm moulding gap. Vauxhall range.




**BSF127P QTY:15**  
Moulding Clip for a 17.3mm moulding gap. Triumph Bonnet Moulding, Morris Minor Sill and Austin A40 MkI.



**BSF136P QTY:24**  
Moulding Clip for the rear lower moulding on the Triumph Stag Hardtop. Used with BSF050.



**BSF077P QTY:10**  
Round 'Tuckers' moulding clip for 14mm moulding gap and 3.2mm panel hole. Early Fords, Triumph, Sunbeam Alpine and general application.



**BSF078P QTY:15**  
Round 'Tuckers' moulding clip for 11.3mm moulding gap and 3.2mm panel hole. MG, and general application



**BSF079P QTY:18**  
Round 'Tuckers' moulding clip for 7.0mm moulding gap and 3.2mm panel hole. Jaguar, Vauxhall, also Triumph Stag Hardtop (front) in metal (for plastic see 72650.),



**BSF223P QTY:18**  
Round 'Tuckers' moulding clip for 7.0mm moulding gap and 3.2mm panel hole-shorter version. Jaguar and Austin Morris.



**BSF084P QTY:15**  
Round 'Tuckers' moulding clip for 9.0mm moulding gap and 3.2mm panel hole. Ford Cortina MkII.



**BSF057P QTY:12**  
Backplate for 2 piece moulding clip 1/2" X 1 1/2" used with 11480. General application.



**BSF059P QTY:12**  
Backplate for 2-piece moulding clip measuring 1.3/4" x 3/4". Used with Part No. 11480 spring retainer and intended for do-it-yourself modification to suit the moulding profile. General application.



**BSF082P QTY:15**  
Universal backing plate 1/2" x 3/4" for moulding applications. Used with 10020 and 11480. Nash Metropolitan and general application.



**BSF170P QTY:20**  
Moulding Clip for the upper door moulding on the Triumph 2000 Mk1 Standard-Triumph part no. 615967




**33501P QTY:19**  
Moulding Clip for the front and rear nose moulding on the Triumph Stag. 2000 / 2.5 MkII Standard-Triumph part no. 624151

## Moulding Clips - Miscellaneous



**18320P**  
QTY:40  
Flange finisher clip. Triumph GT6



**BSF065P** QTY:15  
Flange finisher clip.  
Alternative to GHF1154.  
Triumph range.



**BSF044-3P**  
QTY:9  
Moulding clip washer used with BSF044-1. Riley RME.



**BSF044-1P** QTY:9  
Moulding clip used with BSF044-2. Riley RME.



**20440P**  
QTY:20  
Mild steel moulding retainer for a 5.0mm gap. Ford Cortina and general application.



**15940P** QTY:16  
Mild steel moulding retainer 8mm gap. Jaguar Mk.II



**18890**  
QTY:16  
Mild steel retainer for a 12.8mm gap. Ford Zodiac MK111 Rear and general application

## Moulding Clips – Reveal



**BSF266P** QTY:5  
Reveal moulding clip, width 23.0mm, height 15.8mm, depth 5.0mm. Alternative for Vauxhall Cresta PC/Viscount and general application.

## Nuts and Washers - Various



**BSF243P** QTY:30  
1/4" BSF Hex Full nut.  
Morris1000 and general application



**BSF165P**  
QTY:30  
1/4 UNF full nut in stainless steel. General application



**BSF137P** QTY:8  
5/16 UNF Brass Chromed  
Domed Nut



**BSF056P** QTY:35  
10/32" 'T' bolt nut. General application.


17mm diameter, hole 4.0mm, thickness 3.0mm. Early Fords and general application.



**BSF172P**  
QTY:2  
5/8 UNF locknut. Ford Cortina Mk3 Hub. General application.



**BSF173P**  
QTY:20  
M4 Hex nut with FS conical washer. General application.



**BSF131P**  
QTY:25  
M5 Full nut. General application.



**BSF106P** QTY:20  
Round nut M5 for 7.0mm panel hole. AC Aceca.




**BSF194P**  
QTY:18  
M6 Nylock Nut in Steel. General application



**BSF162P**  
QTY:40  
1/4 UNF spring washer in stainless steel. General application.



**BSF242P** QTY:50  
1/4" Spring washer in zinc plated steel. General application



**BSF286P**  
QTY:25. Rubber washer





**BSF168P**  
QTY:30  
10-32 half nut in stainless steel. General application.




**BSF264P** QTY:25  
Rubber Washer 20mm diameter, hole 6.5mm, thickness 3.0mm. General application.

**BSF113P**  
QTY:35  
2BA Full nut. General application.



**BSF080P** QTY:35  
M4 nuts and washers. General application.



**BSF179P**  
QTY:20  
5mm domed nut in stainless steel. General application



**BSF186P** QTY:20  
M5 Nylock Nut in Steel. General application



**BSF138P** QTY:20  
M6 Full nut in Stainless Steel. General application




**BSF163P**  
QTY:30  
5/16 UNF spring washer in stainless steel. General application.


**BSF241P**  
QTY:50  
1/4" x 9/16" Washer in zinc plated steel. General application.







**BSF130P**  
QTY:25  
Washer 20mm diameter, hole size 5.0mm. Mini petrol tanks and general application.



**BSF150P** QTY:20  
Washer 21mm diameter, hole size 8.0mm. General application..




**BSF153P**  
QTY:30  
M3.2 cup washer in Stainless Steel. General Application.



**BSF167P** QTY:25  
M5 cup washer in stainless steel. General application.



**BSF143P**  
QTY:20  
M6 cup washer in stainless steel. General application



**BSF189P** QTY:15  
M6 x 30mm penny washer in stainless steel. General application.



**BSF036P**  
QTY:35  
White nylon washer 12.7x1.6mm with 6.4mm hole size. General application.

## Pipe Clips



**73100P** QTY:18  
For 3/16" diameter pipe. Triumph, Rover, Jaguar, VW, Opel, SAAB, Ford Transit and Avenger



**CAC240P** QTY:15  
For 5/16" diameter pipe in grey. Ford.



**74610P** QTY:10  
For 3/8" diameter pipe. Rover, Mercedes



**73140P** QTY:10  
For 5/16" diameter pipe. BL Princess, Triumph Spitfire, GT6, Stag, 1100/1300, SAAB



**73120P** QTY:17  
For 1/4" diameter pipe. Rover, Metro, Avenger, Ford Escort, Mercedes, Saab.



**73310P** QTY:15  
For Double 3/16" diameter pipe. Triumph, Rover, Jaguar.



**73160P** QTY:10  
For 9.0mm diameter pipe. BL Princess, Jaguar, Mercedes



**76060P** QTY:10  
For twin 3/16" diameter pipes.  
Vauxhall



**CAC412P** QTY:15  
For twin 3/16" diameter pipes.  
General application. Black



**73390P**  
QTY:11  
For 3/16" and 5/16" diameter  
pipe combinations. Triumph



**73180P** QTY:10  
Double pipe clip for 3/16" and  
1/4" pipes. Triumph.



**73610P** QTY:10  
For 5/16" and 5/16" diameter  
pipe combinations. General  
applications.



#### Plastic P-Clips

CAC148	4.8mm	QTY:40
P	6.0mm	QTY:35
CAC135P	7.9mm	QTY:30
CAC136P	9.5mm	QTY:30
CAC137P	12.7mm	QTY:25
CAC139P	19.4mm	QTY:25



#### JCS Rubber Lined P-Clips , Mild Steel, zinc plated EPDM rubber lined to prevent chafing caused by vibration

EAC105	5mm	QTY: 12
P	6mm	QTY: 12
EAC106	8mm	QTY: 12
P	10mm	QTY: 12
EAC108	13mm	QTY: 10
EAC116	16mm	QTY:10
P	21mm	QTY:10
EAC121	25mm	QTY:8
P	29mm	QTY:8
EAC125	35mm	QTY:8


#### Pipe Connectors



PJ1P	: Pipe Joiners, for hose internal diameter	QTY: 5
PJ2P	: Pipe Joiners, for hose internal diameter 1/4"	QTY: 5
PJ3P	: Pipe Joiners, for hose internal diameter	QTY: 5
PJ4P	: Pipe Joiners, for hose internal diameter 3/8"	QTY: 5

PJ5P : Pipe Joiners, for hose internal diameter 1/2" QTY: 5
PJ6P : Pipe Joiners, for hose internal diameter 5/8" QTY: 5

## Quarter Turn Studs and Sockets



**400-400BP QTY:2**  
Common Sense Turnbutton, pronged eyelet and washer. General application.




**401P QTY:6**  
Common Sense Turnbutton - Two Holed Fixing. General application.



**410/410AP QTY:8**  
Common Sense Turnbutton - Pronged with clinch plate. General application.



**73220P QTY:19**  
Quarter Turn Cam, panel thickness 1.2mm. Mini, Triumph and general application.



**QTC006P QTY:19**  
Quarter Turn Cam, panel thickness 2.0mm. Mini and general application.



**.QTC007P QTY:15**  
Quarter Turn Cam, panel thickness 3.3mm. General application.



**73210P QTY:17**  
Plastic washer used with quick release fasteners 74150/74151/76040/83270- see following products. Mini and general application.



**74150P QTY:10**  
Quarter Turn quick release fastener, panel thickness 5.6mm-7.3mm. Mini and general application.



**76040P QTY:12**  
Quarter Turn quick release fastener, panel thickness 6.3mm. General application



**74151P QTY:10**  
Quarter Turn quick release fastener, panel thickness 7.6 - 8.4mm. General Application



**83270P QTY:6**  
Quarter Turn quick release fastener, grey in colour. Triumph Stag.



**77561P QTY:10**  
Ratchet Type quick release fastener, panel thickness 8.2mm-30.3mm, panel hole 8.5mm. General application.



**77571P QTY:10**  
Ratchet Fastener Cam, used with 77561. General application.



**AP2354P QTY:15**  
BMW E39-E46 Floormat Twist Lock Clip.

## Rivets and Scrivets



**BSF144P**  
QTY:12  
Screw rivet, closed end type,  
2.5mm-8.0mm material  
thickness, head size 15.5mm  
and 6.5mm panel hole.  
General application.



**BSF108P** QTY:10  
Screw rivet, open end type,  
3.0mm-10.0mm material  
thickness and 8.0mm panel  
hole. General application.




**SCR033P**  
QTY:12  
Screw rivet, open end type.  
5.0mm material thickness,  
head size 26.3mm and  
6.3mm panel hole. Ford  
Cortina, Granada, Capri,  
Escort insulation clip.



**FIX65P**  
QTY:20  
Drive Rivet, oval- suits VW,  
Audi



**FIX106P** QTY:  
6  
Drive Rivet, suits  
Vauxhall, Mercedes



**FIX112P** QTY:  
10  
Push Rivet, suits BMW



**FIX114P** QTY:  
8  
Push Rivet, suits  
BMW



**BSF109P** QTY:10  
Screw rivet, closed end type,  
2.5mm-8.0mm material  
thickness and 6.5mm panel  
hole. General application.



**SCR017P** QTY:15  
Screw rivet, open end type.  
4.0mm material thickness,  
head size 12.0mm and  
9.0mm square panel hole.  
Ford Escort, Fiesta tailgate.



**BSF215P** QTY:30  
Drive rivet, 12.5 head size,  
length 10mm and panel hole  
6mm. Ford Granada 85-98  
Windscreen scuttle ( see  
BSF214P below) and general  
application.



**FIX105P** QTY:10  
Drive Rivet, suits BMW



**FIX103P** QTY:10  
Drive Rivet, suits Vauxhall



**FIX111P** QTY:10  
Push Rivet, suits BMW



**FIX113P** QTY:10  
Push Rivet, suits BMW



**FIX116P** QTY:10  
Push Rivet, suits Mercedes





**FIX107P** QTY: 10  
Push Rivet, suits VW, Audi



**FIX108P** QTY:8  
Push Rivet, suits VW, Audi



**FIX109P** QTY:10  
Push Rivet, suits Vauxhall



**FIX110P** QTY:8  
Push Rivet, suits Vauxhall



**BSF 210P** QTY:16  
Ford Sierra windscreen  
scuttle screw rivet (short) .  
83-87 Ford part no.  
E864164S



**BSF211P** QTY:16  
Ford Sierra windscreen  
scuttle screw rivet (long). 87-  
93. Ford part no. E864330S



**12696P** QTY:26  
Nylon 'break stem' rivet for  
use in 5.0mm diameter panel  
hole. Colour - Black. General  
application.



**BSF092P** QTY:26  
Plastic expansion rivet panel  
thickness 0.8 - 9.5mm. Hole  
diameter 8.0 - 8.5mm.  
General application



**.80830P** QTY:20  
Expansion rivet panel  
thickness 2.4mm - 7.8mm.  
Hole diameter 5.5mm -  
6.5mm. General application.



**DRR057P** QTY 25  
Plastic expansion rivet, panel  
thickness 4.0-7.0mm. Hole  
diameter 7.9-8.5mm. Head  
diameter 16.0mm. Vauxhall  
range and General  
application.



**FIX66P**  
QTY:15  
Plastic expansion rivet for VW  
Golf MKI Grille Mountings and  
general application



**BSF115P** QTY:35  
Rokut rivet, head size  
11.4mm, panel hole 4.8mm-  
5.4mm, material thickness  
1.6mm-4.8mm. General  
application.



**BSF034P** QTY:20  
Black rivet 1/8" x 15/64" used  
with E550P. General  
application.



**BSF265P** QTY:30  
3.0mm diameter x 8.0mm  
length rivet in black. General  
application



**PRB11P** QTY:25  
3.2mm diameter x 8mm long  
(1/8" x 5/16") aluminium rivet  
in black, standard flange



**PRB21P**  
QTY:25  
3.2mm diameter x 10mm  
(1/8" x 3/8") long aluminium  
rivet in black, large flange



**BSF214P** QTY:25  
4mm x 10mm rivet in black.  
Head diameter 10.8mm. Ford  
Granada 85-98 Windscreen  
scuttle ( see BSF215P above)  
and general application.



**BSF024P**  
QTY:25  
4.8mm x 16mm aluminium rivet in black. Mini wheel arches and general application.



**BSF245P** QTY:30  
4mm x 16mm Aluminium rivet. General application



**BSF244P** QTY:25  
4.8mm x 16mm Aluminium rivet. General application



**BSF050P** QTY:45  
Pop rivet for 7/64" diameter hole. Specially recommended for use with No.17750 moulding clip



**BSF110P**  
QTY:35  
Aluminium pop rivet 3/32" x 3/8". General application



**BSF068P** QTY:45  
1/8" pop rivet. General application.



**BSF193P** QTY:35  
1/8" x 5/8" Steel Rivet. General application.




**BSF075P** QTY:25  
Bifucated rivet 5/16"(8.0mm) head size, 3.8mm diameter, 8.0mm in length. Triumph Stag.




**BSF095P** QTY:25  
Bifucated rivet 5/16" (8.0mm) head size, 3.8mm diameter and 11.0mm in length. General application.


## Screws and Bolts in Stainless Steel



**BSF133P** QTY:35  
No.6 x 1/2" domed, countersunk, slotted screw in stainless steel. General application.




**BSF135P** QTY:35  
No.6 x 1/2" flanged, posidriv head in stainless steel. General application.



**BSF018P**  
QTY:25  
No.6 x 1/2" pan-headed, posidriv, self-tapping screw in stainless steel. General application.




**BSF277P** QTY:30  
No6 x 5/8" screw: Flanged, posidriv head in stainless steel. General application.



**BSF202P**  
QTY:30  
No.6 x 3/4" screw: domed, countersunk, slotted in stainless steel. General application.



**BSF230P** QTY:30  
No.6 x 3/4" screw: flanged, posidriv head in stainless steel. General application



**BSF154P**  
**QTY:30**  
*No.8 x 1/2" domed, flanged, posidriv head in stainless steel. General application*

**BSF190P QTY:15**  
 No.12 x 3/4" hex headed self-tapping screw in stainless steel. General application.



**BSF019P**  
**QTY:20**  
 No. 8 x 3/4" domed, countersunk, slotted, self-tapping screw in stainless steel. Mini headlamp surround and general application.



**BSF148P**  
**QTY:20**  
 No.8 x 3/4" pan-headed, posidriv screw in stainless steel. General application.




**BSF119P**  
**QTY:20**  
 No.8 x 1" domed, countersunk, slotted, self-tapping screw in stainless steel. General application.



**BSF213P QTY:30**  
 No.8 x 1" screw: raised, countersunk, posidriv, self-tapping in stainless steel. General application.



**BSF234P**  
**QTY:25**  
 No.10 x 5/8" screw: countersunk, posidriv in stainless steel. Morris 1000 door handle and general application



**BSF132P**  
**QTY:20**  
 No.10 x 3/4" domed, countersunk, posidriv head in stainless steel. General application.



**BSF037P**  
**QTY:25**  
 No.10 x 1" pan-headed, slotted, self-tapping screw in stainless steel. General application.

**BSF208P QTY:30**

No.8 x 1/2" screw: raised, countersunk, self-tapping in stainless steel. General application.



**BSF225P QTY:12**

No.12 x 1" screw: domed, countersunk, slotted in stainless steel. General application.



**BSF114P QTY:20**

No.8 x 3/4" flanged, pozidriv, self-tapping screw in stainless steel. General application.



**BSF212P QTY:35**

No.8 x 3/4" screw: raised, countersunk, pozidriv, self-tapping in stainless steel. General application.



**BSF171P**

**QTY:20**

No.8 x 1" flanged, pozidriv, self-tapping screw in stainless steel. General application.



**BSF155P**

**QTY:25**


No.10 x 1/2" domed, flanged, pozidriv head in stainless steel. General application.



**BSF128P**

**QTY:15**

No.10 x 3/4" pan-headed, pozidriv, self-tapping screw in stainless steel. General application.



**BSF235P**

**QTY:25**

No.12 x 1/2" screw: pan-headed, pozidriv self-tapping in stainless steel. General application.



**BSF141P**  
QTY:20  
10/32 UNF x 3/4" posidriv,  
pan-head in stainless steel.  
General application.



**BSF145P** QTY:20  
M4 x 20mm pan-headed,  
posidriv screw in stainless  
steel. General application.



**BSF 146P**  
QTY:20  
M4 x 25mm pan-headed,  
posidriv screw in stainless  
steel. General application.



**BSF209P** QTY:30  
M5 x 10mm slotted, pan-  
headed screw in stainless  
steel. General application.



**BSF129P**  
QTY:10  
M6 x 20mm pan-headed,  
posidriv screw in stainless  
steel. Ford number plate  
screw and general  
application.



**BSF142P** QTY:15  
M6 x 50mm pan-headed,  
posidriv, countersunk screw  
in stainless steel. General  
application.



**BSF125P**  
QTY:14  
M6 x 25 x 1.5mm hexagon  
head bolt in stainless steel.  
General application



**BSF140P**  
QTY:8  
M6 x 25mm carriage bolt in  
stainless steel. General  
application.

## Screws and Bolts in Steel



**BSF181P** QTY:35  
No.6 x 1/2" domed,  
countersunk, posidriv, self  
tapping screw in steel  
General application.



**BSF099P** QTY:15  
No.6 self tapping screw with  
hexagon head 3.5mm X  
19mm. General application.



**BSF101P** QTY:15  
No.10 self tapping screw with  
hexagon head 4.8mm X  
25mm. General application.



**BSF017P**  
QTY:15  
Pan self-tapping screw,  
No.12 x 1" Posidriv in steel.

Mini van/traveller petrol  
tanks.



**BSF121P QTY:20**

No.6 x 1/2" screw: raised, countersunk, posidriv, self tapping, chrome plated. General application.



**BSF100P QTY:15**

No.8 self tapping screw with hexagon head 4.2mm X 25mm. General application.



**BSF016P**

**QTY:20**

Pan self-tapping screw, No.12 x 1/2" Posidriv in steel. Mini petrol tanks.



**BSF022P**

**QTY:15**

No.14 x 1" self-tapping screw, hexagon head in steel. General application.





**BSF118P**  
QTY:15  
Pan head M5 x 20.0mm  
pozidriv in steel. General  
application.



**BSF097P** QTY:15  
M5 x 25mm pozidriv pan-  
headed in steel. General  
application.



**BSF120P**  
QTY:30  
Flanged head M5 X 25mm  
Allen screw in steel. General  
application.



**BSF023P** QTY:15  
6.3mm x 25mm type 'E' blunt  
point screw with hexagon  
head in steel. Used with  
SNJ1761 and SNJ1861 and  
general application.



**BSF149P** QTY:  
10  
7.9mm x 20mm type 'E' blunt  
point screw in steel. General  
application.



**BSF020P** QTY:20  
1/4" UNF x 1" pozidriv-pan  
head in steel. General  
application



**BSF207P** QTY:8  
1/4" UNF x 1" screw:  
countersunk, pozidriv head in  
mild steel. General  
application



**BSF252P** QTY:12  
1/4" UNF x 1 1/4" screw:  
raised, countersunk, pozidriv  
head in mild steel. General  
application.



**BSF206P**  
QTY:8  
5/16" UNF x 1" screw: raised,  
countersunk, pozidriv head in  
mild steel. General  
application




**BSF279P** QTY:8  
8/32 UNC x 1" Flat head,  
squared screw. Early Ford  
rear light assemblies and  
general application.



**BSF221P**  
QTY:25  
10UNF x 5/8" Machine Screw  
in zinc plate. Rover P5/5B  
and general application



**BSF248P** QTY:15  
3/4" x 2BA pozidriv with a  
Filister head in Chrome.  
Morris 1000 window winder  
handle and general  
application



**BSF047-5P** QTY:35  
3/4" 2BA countersunk screw  
Phillips head for use with  
BSF047.



**BSF247P** QTY:12  
1 1/4" x 2BA pozidriv with a  
Filister head in Chrome.  
Morris 1000 inner door  
handle and general  
application



**BSF123P**  
QTY:25  
1" x 2BA pozidriv pan-  
headed in steel. General  
application.



**BSF246P QTY:15**  
1/4" BSF x 5/8" Countersunk, posidriv, with a point, in zinc plated steel. Morris 1000 lock assembly and general application



**BSF237P QTY:25**  
1/4" BSF x 1/2" HT Hex Set Screw in zinc plated steel. Morris 1000 and general application




**BSF238P QTY:20**  
1/4" BSF x 5/8" HT Hex Set Screw in zinc plated steel. Morris 1000 and general application



**BSF239P QTY:20**  
1/4" BSF x 3/4" HT Hex Set Screw in zinc plated steel. Morris 1000 and general application



**BSF240P QTY:10**  
5/16" BSF x 15/16" Countersunk, posidriv, with a point, in zinc plated steel. Morris 1000 and general application



**BSF191P QTY:25**  
1/4 UNC x 3/4" Hex Bolt in Steel. General application.



**AS22P QTY:30**  
No.10 x 1/2" self tapping bolt with a washer. General application.



**AS32P QTY:30**  
No.12 x 1/2" self tapping bolt with a washer. General application.



**AS42P QTY:30**  
No.14 x 1/2" self tapping bolt with a washer. General application.



**FIX150P QTY:12**  
M6 x 10mm bolt with a washer. Mercedes and general application.



**NP3P QTY:100**  
Numbers Plate Screws-Self-tappers with hinged white plastic caps



**NP4P QTY:100**  
Numbers Plate Screws-Self-tappers with hinged yellow plastic caps



**NP6P QTY:100**  
Numbers Plate Screws-Self-tappers with hinged black plastic caps



**NP19P QTY:100**  
Numbers Plate Screws-Self-tappers with hinged blue plastic caps

## Screws- Black



**BSF021P QTY:**  
10  
1/4" UNF x 1" pozidriv-pan  
head in black. General  
application.



**BSF027P QTY:**50  
No.6 x 1/2" self-tapping  
screw. Posidriv-flanged head  
in black. General application



**BSF219P QTY:**10  
10UNF x 1 3/4" Machine  
Screw in Black. Rover P5/5B  
and general application.



**BSF249P QTY:**20  
2BA x 2 1/2" Slotted, cheese  
headed machine screw.  
General application.




**BSF161P QTY:**35  
No.6 x 3/4" self-tapping  
screw. Domed posidriv,  
countersunk head in black



**BSF038P QTY:**35  
No.8 x 3/8" self-tapping  
screw. Domed posidriv,  
countersunk head in black.  
General application



**BSF015P QTY:**30  
Flanged self-tapping screw,  
No.10 x 1/2" Supadriv in  
black. General application



**BSF014P QTY:**25  
Flanged self-tapping screw,  
No10 x 3/4" Supadriv in  
black. General application



**BSF122P QTY:**25  
Pan head M5 x 20.0mm  
pozidriv in steel. Black in  
colour. Ford range.

## Screws- ACME Thread



**BSF267P QTY:**20  
1/4 ACME x 1/2" Hex Headed  
Screw in zinc plated mild  
steel. Triumph Stag and  
general application.



**BSF268P QTY:**15  
1/4 ACME x 3/4" Hex Headed  
Screw in zinc plated mild  
steel, used with SNJ1761.  
Triumph TR4/5/6 and general  
application.



**BSF269P QTY:**10  
1/4 ACME x 3/4" Raised,  
Countersunk, Slotted Screw  
in zinc plated mild steel, used  
with SNJ1761. Triumph  
TR4/5/6 and general  
application.

## Self Sealing Plugs / Grommets



**BSF051P QTY:10**  
PVC self sealing plug for use in 19/32" diameter panel hole. General application.



**BSF236P QTY:12**  
PVC self-sealing plug for use in 3/4" diameter panel hole. Morris 1000 door and general application.



**BSF124P QTY:10**  
PVC self sealing plug for use in 1" diameter panel hole. General application.



**80310P QTY:32**  
Plastic self sealing plug for use in 3/8" diameter panel holes. General application. Austin-Morris part no. CFP375 Jaguar part no. BD15588/1



**80330P QTY:29**  
Self seal plug for use in 1/2" diameter panel hole. General application. Austin-Morris part no. CFP500



**80360P QTY:22**  
Plastic self sealing plug for use in 5/8" diameter panel hole. General application. Austin-Morris part no. CFP625



**80370P QTY:22**  
Self sealing plastic plug for a 3/4" diameter hole. General application. Austin-Morris part no. CFP750 Jaguar part no. BD15588/4



**80380P QTY:12**  
Plastic self sealing plug for use in 13/16" diameter panel hole. General application. Standard-Triumph part no. 600421



**80390P QTY:15**  
Plastic self sealing plug for use in 7/8" diameter panel hole. General application Jaguar part no. BD15588/5



**80410P QTY:21**  
Plastic self sealing plug for use in 1.0" diameter panel hole. General application. Austin-Morris part no. CFP1000



**80440P QTY:9**  
Plastic self sealing plug for use in 1 1/2" diameter panel hole. General application Austin-Morris part no. BHA4536



**BSF231P QTY:8**  
Rubber Grommet. Jaguar Jaguar part no. BD4321



**BSF261P QTY:8**  
Rubber Grommet. Jaguar Jaguar part no. BD4616



## Snap-In Nuts – Nylon / Rubber



**CAN055P**  
QTY:19  
Nylon snap-in nut for 1/4" square hole and used with No.6-8 self-tapping screw. Panel thickness 0.8-3.2mm. General application.



**80200P** QTY:17  
Nylon snap-in nut for 17/64" square hole and use with No.8 or 10 self tapping screws  
Austin-Morris part no. 13H2910  
Unipart part no. GHF1030



**CAN057P** QTY:18  
Nylon snap-in nut for 5/16" square hole and use with No. 8 self-tapping screw. General application.



**80230P** QTY:12  
Nylon snap-in nut for 3/8" square hole and use with No.12 or 14 self tapping screws. Mini petrol tanks. Standard-Triumph part no. 626733



**80240P** QTY:10  
Nylon snap-in nut with spacer head for 3/8" square hole and use with No.12 or 14 self tapping screws. Mini Van and Estate petrol tanks. Standard-Triumph part no. 153887



**CAN072P**  
QTY:15  
Nylon snap-in nut for 9/32" square hole and used with No.6 self-tapping screw. Panel thickness 0.8-2.4mm. General application.



**CAN058P**  
QTY:18  
Nylon snap-in nut for 9/32" square hole and use with No8 or 10 self-tapping screw. Ford and general application. Standard-Triumph part no. 570779  
Unipart part no. GHF1021



**FIX71P** QTY:25  
Nylon snap-in nut for 8.0mm round hole and used with No.8 or 10 self-tapping screw. VW and general application



**FIX72P** QTY:25  
Nylon snap-in nut for 6.5mm square hole and used with No.8 or 10 self-tapping screw. Fiat, Alpha Romeo and general application



**CAN064P** QTY:15  
Nylon snap-in nut for 9.4mm square hole and use with No.10 self-tapping screw. Rover and general application.



**BSF152P** QTY:12  
Nylon snap-in nut for 10mm square hole. Used with BSF149 and BSF150. Rover P6 rear wings and general application.



**FIX73P** QTY: 25  
Nylon snap-in nut for 10.0mm round hole and used with No.8 or 10 self-tapping screw. VW, Audi and general application



**FIX74P**  
QTY:25  
Nylon snap-in nut for 10.0mm square hole and used with No.8 self-tapping screw. Ford rear number plate and general application



**FIX135P** QTY:10  
Nylon snap-in nut, suits VW, Audi



**CAN070P** QTY:15  
Nylon snap-in nut for 10.7mm square hole and used with 8mm (5/16") screw. Triumph Stag Hardtop. Standard-Triumph part no. 625950



### FIX137P

QTY:6

Nylon snap-in nut, suits VW, Audi

Captive nut, No.12-14 self-tapping screw size, head size 20.4mm x 14.0mm, square panel hole 3/8"x3/8". Rover, Triumph.  
Austin-Morris part no. CZG782  
Standard-Triumph part no. 626733  
Unipart part no. GHF1029



### FIX139P

QTY:

6

Nylon snap-in nut, suits VW, Audi



### FIX141P

QTY:

10

Nylon snap-in nut, suits Vauxhall



### FIX144P

QTY:6

Nylon snap-in nut, suits Vauxhall



### FIX147P

QTY:14


Nylon snap-in nut, suits BMW



### CAN073P

QTY:12

Angled Nylon snap-in nut for 3/16" x 5/32" square hole and use with No.12 or 14 self-tapping screw. BL, Rover, Triumph and general application.  
Unipart part no. GHF1027



### CAN076P

QTY:15

Captive nut, No6 self-tapping screw size, head size 12.7mm, square panel hole 6.9mmx6.9mm. All Fords



### CAN095

QTY:10



**FIX138P** QTY: 10  
Nylon snap-in nut, suits  
VW, Audi



BSF012. Ford Capri, Escort,  
Cortina and Granada

**FIX142P**  
QTY:10  
Nylon snap-in nut, suits  
Vauxhall

**FIX145P** QTY:  
4  
Nylon snap-in nut, suits  
Vauxhall

**FIX148P** QTY:  
10  
Nylon snap-in nut, suits BMW

**FIX26P**  
QTY:25  
Angled snap-in nut for  
10.0mm square hole and  
use with No.10 self-tapping  
screw. Dark Red. Ford  
and general application



**CAN087P**  
QTY:15  
Captive nut, No.10 self-  
tapping screw size, head  
size  
19.0mm, square panel hole  
7.7mmx7.1mm. Rover P6 sill.

**75151P**  
QTY:12  
Grille fix used with No.10  
self tapping screw or




**BSF270P** QTY:20  
M5 Rubber Well Nut. Panel  
hole dia. 9.0mm.



**BSF271P** QTY:15  
M6 Rubber Well Nut. Panel  
hole dia. 12.3mm.

## Spire Nuts- Cage Type (including 'J' Type)



**BSF060P**  
QTY:12  
M4 cage nut. General  
application.



**BSF104P** QTY:15  
M5 cage nut. General  
application.



**BSF253P**  
QTY:12  
M5 Front Loading Cage Nut.



**BSF226P**  
QTY:15  
M6 cage nut. General  
application



**BSF086P** QTY:10  
'J' Type retainer for a 5/16"  
UNF thread, standard reach.  
General application  
Standard-Triumph part no.  
FQ3404/4



**SJY051718446P**  
QTY:15  
'J' nut retainer for M5 screw,  
standard reach. General  
application.  
Standard-Triumph part no.  
FQ3404/4



**SJG05871445P**  
QTY:15  
'J' nut retainer for M5 screw,  
short reach. General  
application.



**SJY061718446P**  
QTY:15  
'J' nut retainer for M6 screw,  
long reach. General  
application.



**SJG08271449P**  
QTY:15  
'J' nut retainer for M8 screw,  
standard reach. Panel  
Thickness 1.65-3.25mm.  
General application.



**BSF272P**  
QTY:6  
'J' Nut retainer for M12  
Screw, standard reach. Panel  
thickness 5.6 - 6.3mm.  
General application.



**BSF102P** QTY:6  
1/4 UNF Cage Nut. General  
application.



**BSF098P** QTY:10  
M8 cage nut. General  
application.



**BSF088P**  
QTY:12  
'J' nut retainer for a 1/4 UNF thread, standard reach.  
General application  
Standard-Triumph part no. FQ3405-05



**SJN10271779P**  
QTY:15  
5/16" UNC cage nut. General application



**BSF103P**  
QTY:6  
5/16" UNF Cage Nut.  
Triumph Range.  
Standard-Triumph part no. FS2704



**SMD12271778P**  
QTY:9  
Cage nut with 3/8" UNF thread size. General application.  
Standard-Triumph part no. FS2756

### Spire Nuts- 'J' Type



**SNJ1198/4P**  
QTY:30  
No6 'J' nut, length 16.8mm, width 11.2mm. General application.  
Standard-Triumph part no. FJ2445



**SNJ1895P** QTY:30  
'J' nut for No.6 self tapping screw, standard reach.  
General application.



**SNJ0116/6P**  
QTY:30  
No8 'J' nut, length 16.5mm, width 11.2mm. General application.  
Standard -Triumph part nos. FJ2464 and 608011



**SNJ1861P** QTY:30  
No14 'J' nut, length 17.8mm, width 19.3mm (short reach). General application  
Austin-Morris part no. 518454  
Standard-Triumph part no. FA3057/4



**SNJ1761P** QTY:30  
'J'nut for 1/4" Acme thread - standard reach  
Standard-Triumph part no. FJ2407/4

### Spire Nuts- 'U' Type



**SNU0531P** QTY:30  
'U' nut for 1/4" BSW self tapping bolt standard reach.  
Ford.



**SNU2178P** QTY:30  
'U' nut for No. 6 self-tapping screw, short reach. Used on Minor 1000 glove box



**SNU1219P** QTY:30  
'U' nut for No. 6 self tapping screw, standard reach.  
General application.  
Standard / Triumph part no. FJ2443



**SNU2592P**  
QTY:30  
'U' nut for No. 6 self tapping screw, standard reach.  
General application.





**SNU1812P QTY:35**  
No.4 'U' nut, length 11.2mm, width 7.9mm. General application.



**SNU2811SSP QTY:30**  
No6 'U' nut, length 11.7, width 7.9mm in stainless steel. General application



**SNU1864P QTY:30**  
'U' nut for No. 8 self tapping screw, short reach. General application. Standard-Triumph part no. FU2585



**SNU0536P QTY:30**  
'U' nut for No. 8 self tapping screw, standard reach. General application. Unipart part no. GHF712



**SNU2954P QTY:30**  
'U' nut for No. 8 self-tapping screw, standard reach. For larger panel thickness. General application



**BSF197P QTY:5**  
'U' nut for No. 8 self tapping screw, Offset reach. Ford Escort MK1.



**SNU1686P QTY:30**  
'U' nut for No.8 self-tapping screw. Length 14.0mm, width 12.7mm. General application.



**SNU1561P QTY:25**  
'U' nut for No.8 self-tapping screw. Length 24.4mm, width 11.2mm, standard reach. General application.




**SNU3381P QTY:25**  
No8 'U' nut, length 16.5mm, width 8.6mm. General application and Ford Escort.




**SNF3160P QTY:30**  
No8 'U' nut with prevailing torque, length 16.5mm, width 11.2mm. General application.



**SNU3275P QTY:30**  
'U' nut for No.10 self tapping screw - short reach. General application.



**SNU0537P QTY:30**  
'U' nut for No. 10 self tapping screw, standard reach. General application Unipart part no. GHF713



**SNU3489P QTY:30**  
No10 'U' nut, length 19.6mm, width 12.7mm, panel range 3.17mm-3.42mm. General application.



**SNU1866P QTY:20**  
'U' nut for No. 12 self tapping screw, long reach. General application. Unipart part no. GHF714



**SNU0538P QTY:20**  
'U' nut for No.12 self-tapping screw. Length 26mm, width 15mm. General application.



**SNU2213P QTY:20**  
'U' nut for 5116 Acme Machine Screw. Length 27mm, width 16mm. General Application.

## Spire Nuts- expansion / flat / cal



### SNO1877P

QTY:30

Expansion nut for No. 6 self tapping screw and assembly in 21/64" square hole. General application. Standard-Triumph part no. FC2803



### SNO2846P QTY:30


Expansion nut for No. 8 self tapping screw and assembly in 13/32" square hole. General application. Standard-Triumph part no. FC2804



### SNO1742P

QTY:30

Expansion nut for No. 10 self tapping screw and assembly in 33/64" square hole. General application.



### SNP1212P QTY:30

Rectangular flat nut for No. 8 screw. General application.



### SNP0176P QTY:30

Rectangular flat nut for No. 8 screw. General application. Standard-Triumph part no. FN2044/8 Unipart part no. GHF701



### SNP0177P QTY:30

Rectangular flat nut for No. 10 screw. General application. Unipart part no. GHF702



### 43050P QTY:40

M4 Round screw retainer. General application.



### BSF139P QTY:15

M5 Cal nut retainer. Length 20.5mm, width 14.0mm and panel range 0.4-0.6mm. General application



### BSF205P QTY:15

M6 Cal nut retainer. Length 23.5mm, width 16.0mm and panel range 0.4-0.6mm. General application



### LN60023-GP

QTY:12

M6 Lug nut retainer. Length 24.0mm, width 14.2mm and panel thickness 0.8-4.0mm. General application.

## 'T' Bolts - Metal



### BSF039P

QTY:11

Moulding 'T' bolt. MG.



### BSF048P QTY:11

Moulding 'T' bolt. Morris Minor/1000 front grille surround moulding



### BSF085P

QTY:5

'T' bolt for Rover P4 lower moulding.



### BSF046P QTY:10

Moulding teebolt. 5/8" x 17/32". MG, Riley RM and general application



**BSF053P**  
QTY:7  
Moulding teebolt. Austin A.35 front grille surround moulding



**BSF175** QTY:20  
Moulding 'T' bolt with 3mm stud. 16mm x 10mm Mini Estate. Cross-Ref: CZH491



**BSF054P**  
QTY:11  
Moulding teebolt with M4 thread. Mk.II Jaguar



**BSF055P** QTY:9  
Moulding 'T' bolt with M5 thread. Jaguar MkVII



**BSF049P**  
QTY:9  
Pronged teebolt for threaded attachment of trimmed board. 5mm thread



**BSF174** QTY: 5  
Moulding 'T' bolt with 5mm thread. 16mm x 10mm with a domed nut in stainless steel. XK150 Hood clip


## Tenax Fasteners




**TENAX18-3/32.2BAP** QTY:6  
Tenax fastener, length 3/32" with a 2BA thread size. General application.



**TENAX18-7/16.UNFP** QTY:6  
Tenax fastener, length 7/16" with a UNF thread size. General application.



**TENAX18-5/8.2BAP** QTY:4  
Tenax fastener, length 5/8" with a 2BA thread size. General application



**TENAX18-5/8.UNFP** QTY:4  
Tenax fastener, length 5/8" with a UNF thread size. General application



**TENAX76P** QTY:6  
Tenax stud with self-tapping peg. General application.



**TENAX83P** QTY:20  
Tenax washer used with all Tenax studs. General application.



**TENAX31/302P** QTY:2  
Tenax fastener socket and locking ring. General application.



## Trim Buttons, Studs and Fir Tree Buttons



**FIX46P** QTY: 25  
Trim Button, head size 14.0mm and panel hole 8.0mm in black. VW Golf and general application



**FIX30P** QTY: 25  
Trim Button, head size 17.0mm, material thickness 1.0mm-15.0mm and panel hole 6.0mm. Multi-step, black. General Application



**FIX35P** QTY:25  
Trim Button, head size 18.0mm and panel hole 8.0mm in black. Ford under-dash felt, and General application



**FIX36P** QTY:25  
Trim Button, head size 18.0mm and panel hole 8.0mm in grey. Ford under-dash felt, and General application



**FIX58P** QTY:25  
Trim Button, head size 19.0mm and panel hole 10.0mm in black. VW Golf tailgate and general application



**71790P** QTY:25  
'W' button for material thickness 3.2 - 4.8mm and panel hole 7.1mm. General application.



**WBU016P** QTY:35  
'W' Button, head size 14.0mm, material thickness 0.8mm-5.9mm, panel hole 7.0mm, plain head. General application.



**71650P** QTY:30  
Snap-in stud for 3/16" diameter panel hole and 3.2 - 4.8mm material thickness. Ford Cortina bonnet flip seal and general application



**75810P** QTY:24  
Snap-in stud for 1/4" diameter panel hole and 3.7mm material thickness. General application.



**WBU021P** QTY:40  
Canoe clip 1/2" diameter button with a 1/4" hole diameter.



**80560P** QTY:25  
Plastic carpet socket. Jaguar



**80560-02P** QTY:20  
Plastic carpet stud used with 80560. Jaguar.



**BSF026P** QTY:35  
Plastic Stud. Black with panel thickness 2.4-5.8mm. Hole diameter 3.5mm. General application.



**WBU060** QTY:20  
Arrow clip, head size 12.5mm, material thickness 0.8mm-6.8mm, panel hole 6.55mm, plain head. Rover and general application.



**FTB064P** QTY:20  
Fir Tree Button for 5.0mm diameter panel hole and material thickness 1.2-6mm. Head diameter 16.0mm. Colour black with a matt head. General application.



**FTB017P**  
QTY:30  
Grained headed fir tree clip for 6.0mm panel hole and material thickness from 3.0mm - 8.0mm. General application.



**FTB055P** QTY:30  
Fir Tree Button, material thickness 2.3 - 14.2mm, head diameter 17.8mm, panel hole 6.4mm. General application. Colour black.



**BSF105P** QTY:25  
Fir Tree Button for 7.2mm diameter panel hole and material thickness 2.3-30.00mm. Head diameter 16.4mm. Colour White. General application.



**FTB011P** QTY:25  
Fir Tree Button for 7.2mm diameter panel hole and material thickness 2.5-9.0mm. Head diameter 24.00mm. Colour black with a grained head. General application.



**FTB056P**  
QTY:27  
Fir Tree button for 1/4" diameter panel hole and for material thicknesses from 2.8 - 20.3mm. Colour black (was PC47564) General application.

## Trim Fasteners- Miscellaneous



**45220P**  
QTY:25  
Self threading nut for 3/16" diameter pin.



**13770P** QTY:23  
Trim retaining clip for 7/8" diameter tubular seat frames. General application.



**13780P** QTY:22  
Trim retaining clip for 13/16" diameter tubular seat frames. Jaguar, Triumph, Ford, Hillman and general application.



**13790P** QTY:20  
Trim retaining clip for 1" diameter tubular seat frames. General application.



**14610P** QTY:18  
Trim retaining clip for 1 1/8" diameter tubular seat frames. General application.



**BSF025P** QTY:30  
Self-threading washer nut, 1/8" diameter pin. General application.



**JNP007P**  
QTY:10  
3 pronged Tee Nut. 2BA thread size, 6.4mm depth. General application.



**JNP014P** QTY:8  
4 pronged Tee Nut. M6 thread size, 7.0mm depth. General application.





**16290P**  
QTY:40  
Bonnet pad retaining clips.  
Ford Consul , Zephyr MKII.



**BSF151P** Qty:10  
Window Winder Handle.  
Vauxhall.



**BSF176P**  
QTY:30  
Omega Clip. Jaguar Door  
Control Rod. Cross-Ref:  
BD23473 / SJ5122



**BSF187P** QTY:6  
2BA Ball Stud in Zinc Plate  
use with BSF182



**BSF204P**  
QTY:6  
M5 Female Ball Stud in zinc  
plate use with BSF182



**BSF182P** QTY:6  
Latch Clip. Jaguar 'E' Type.  
Cross-Ref: BD19053



**BSF188P**  
QTY:10  
2BA Ball Stud in Brass use  
with BSF177



**BSF177P** QTY:10  
Latch Clip. Jaguar 'E' Type.  
Cross-Ref: BD22348



**LAT001/STR001P**  
QTY:3  
Cubby box lid striker and  
latch. Lotus Cortina and  
Jaguar, Triumph TR7.



**93080P** QTY:6  
Pronged panel spring button  
with panel thickness 4.0mm-  
18mm. TVR.



**BSF158P** QTY:6  
Metal panel spring button.  
Ford underdash.

## Weatherseal Clips



**BSF196P**  
QTY:20  
Weatherstrip clip,  
green in colour. Early  
Fords.

Weatherseal clip to accept  
increased material thickness  
as compared with 19730.  
Triumph



**38561P**  
QTY:25  
Weatherstrip clip. Ford and  
General application




**14891P**  
QTY:33  
(Blue paint finish).  
Weatherstrip clip used on  
Triumph Spitfire, GT6 and  
Stag  
Austin-Morris part no.  
1342012  
Standard-Triumph part no.  
613169



**BSF232P**  
QTY:22  
Weatherseal clip: 12.7mm  
wide, 20.6mm depth, panel  
thickness 2.0-2.9mm.  
Alternative for Ford Capri  
MK1 and general application.



**35840P**  
QTY:28  
Weatherstrip clip. Triumph  
Dolomite and Jaguar



**23980P**  
QTY:20  
Weatherstrip Clip. B.L.  
1100/1300, Loyus and  
general application



**13691P**  
QTY:35  
Weatherseal clip for 3.1 - 3.8  
material thicknesses.  
Chrysler Sunbeam outer  
waist seal, TR7 weatherstrip  
seal and general application




**24170P**  
QTY:45

**39010P** QTY:20  
Weatherstrip clip. Ford  
Cortina, Escort.



**15910P** QTY:42  
Black finish).  
Weatherstrip clip.  
Triumph 2000, TR6,  
Lotus and Jaguar




**41380P**  
QTY:22 (Green paint  
finish). Weatherstrip clip to  
accept increased thickness of  
seal compared with 14891.  
Chrysler Sunbeam /Triumph  
Rootes-Chrysler part no.  
79130728



**33510P** QTY:10  
Weatherseal clip used on  
Triumph Stag



**13387P** QTY:19  
Weatherseal clip. VW  
Golf and Scirocco.



**13890P**  
QTY:20  
Edge type weatherseal clip.  
General application



**19730P** QTY:50  
Flange finisher clip. Triumph  
2000, Herald, Dolomite,  
TR6, Stag, Riley, BL Mini



**31250P** QTY:30  
Dashboard finisher for Mini.





**BSF070P** QTY:30  
Clip for rubber boot seal. Mini

## Windscreen Washer Accessories



**TA103P** QTY:5  
Windscreen Washer  
Accessories, T-pieces, nylon,  
suits 3/16" pipe



**TA102P** QTY:5  
Windscreen Washer  
Accessories, Elbows, nylon,  
suits 3/16" pipe



**TA101P** QTY:5  
Windscreen Washer  
Accessories, Straights, nylon,  
suits 3/16" pipe



**TA104P** QTY:3  
Windscreen Washer  
Accessories, Small In-Line  
valves, nylon, suits 3/16" pipe



**TA105P** QTY:3  
Windscreen Washer  
Accessories, Large In-Line  
Valves, nylon, suits 3/16"  
pipe

## Woodruff Keys



### Woodruff Keys – Imperial Sizes

- WRK100: Woodruff Keys, thickness 1/16", length 1/2"  
QTY:15
- WRK101: Woodruff Keys, thickness 3/32", length 1/2"  
QTY:15
- WRK102: Woodruff Keys, thickness 3/32", length 5/8"  
QTY:15
- WRK103: Woodruff Keys, thickness 1/8", length 1/2"  
QTY:15
- WRK104: Woodruff Keys, thickness 1/8", length 5/8"  
QTY:15
- WRK105: Woodruff Keys, thickness 5/32", length 5/8"  
QTY:12
- WRK106: Woodruff Keys, thickness 5/32", length 3/4"  
QTY:12
- WRK107: Woodruff Keys, thickness 3/16", length 3/4"  
QTY:12

WRK108: Woodruff Keys, thickness 3/16", length 7/8"  
 QTY:12  
 WRK109: Woodruff Keys, thickness 3/16", length 1" QTY:8  
 WRK110: Woodruff Keys, thickness 3/16", length 1 1/8" QTY:8  
 WRK111: Woodruff Keys, thickness 7/32", length 7/8" QTY:8  
 WRK112: Woodruff Keys, thickness 7/32", length 1 1/8" QTY:5  
 WRK113: Woodruff Keys, thickness 1/4", length 1" QTY:5  
 WRK114: Woodruff Keys, thickness 1/4", length 1 1/8" QTY:5  
 WRK115: Woodruff Keys, thickness 5/16", length 1 1/4" QTY:5  
 WRK116: Woodruff Keys, thickness 3/8", length 1 1/4" QTY:5



## APPENDIX 1

**KITS** - Fasteners for specific jobs on specific makes and models of cars. Sufficient clips for one car. Prices vary. Delivery charges: see front of catalogue.



### KIT40P

AVAILABLE WITHIN UK ONLY: Comprehensive collection of fasteners with adhesive and fitting punch, to fit carpets, hoods and tonneau covers- suitable for various makes and models e.g Triumph, 'E' Type Jaguar etc.

### KIT39P

NON-UK customers: Comprehensive collection of fasteners with fitting punch, to fit carpets, hoods and tonneau covers- suitable for various makes and models e.g Triumph, 'E' Type Jaguar etc.

~~Same as KIT 40P without spray adhesive as this cannot be posted overseas~~



### KIT18P

Austin Mini  
Estate and Van  
Petrol Tank Clips


### KIT26P

BMC Tenax  
Hood/Toneau Set



### KIT22P

Austin Mini  
Weathershield  
Mounting  
Clips



### KIT9P

A40 Mk1 Moulding  
Clips



### KIT5P

BMC Carpet  
Fixing  
Clips (Set 1)

KIT24P  
Austin Mini Front  
Headlamp /  
Flasher Fitting  
Caps



KIT4P  
Austin Mini Pick-Up  
Tilt/Cover Clips



KIT19P  
BMC Carpet Fixing  
Clips (Set 2)





KIT15P  
Ford Wiring Loom  
Clips (Set 2)

Moulding  
Clips



KIT20P  
Ford Escort MK1  
Grille Fitting Kit



KIT11P  
Ford Escort /  
Cortina  
Weatherseal  
Clips



KIT31  
Ford Zodiac  
MK111  
Rear Moulding  
Clips




KIT37P  
Ford MkII  
Escort Ghia  
Moulding Clips



KIT28P  
Jaguar XJ40 Cant  
Rail Clips



KIT23P  
Jaguar MkII  
Moulding Clip  
Set



KIT25P  
MGB/C  
GT/Roadster

KIT34P  
Ford Escort Wiring  
Loom Clips (Set 1)




KIT10P  
Ford Escort  
MkI Moulding  
Clips



KIT12P  
Ford Escort /  
Cortina Grille  
Clips



KIT13P  
Ford Pinto Exhaust  
Manifold Studs and  
Nuts




KIT14P  
Humber Sceptre  
Mk1 Moulding  
Clips with Rivets



KIT6P  
Jaguar 'E' Type  
Carpet Sockets  
and Studs



KIT2P  
MG Midget Sill  
Moulding Clips





**KIT27P**  
**Morris 1000 Door**  
 Kit. All the Nuts, Bolts,  
 Washers and  
 Fasteners required to  
 refurbish one door.  
 Supplied in  
 a sturdy re-useable  
 compartmented  
 box. **PRICE**  
**APPLIES TO**  
**UK AND EU**  
**ONLY**



**ADDPOSTROWP**  
  
 Additional Postage  
 Charge for non- UK  
 / EU customers for  
 KIT27P



**KIT3P**  
**Rover P4**  
**Moulding**  
**Clips**



**KIT36P**  
**Rover P6 Moulding**  
**Clips**




**KIT7P**  
**Triumph Herald /**  
**Vitesse**  
**Moulding Clips**



**KIT17**  
**Triumph Spitfire /**  
**GT6**  
**Weatherseal**  
**Clips**



**KIT35P**  
**Triumph Stag**  
**Chrome**  
**Moulding Clips**



**KIT38P**  
**Triumph Stag**  
**Hardtop**  
**Moulding Clips**



**KIT16P**  
**Triumph Stag**  
**Weatherseal Clips**



**KIT33P**  
**Triumph TR4/5**  
**Front Wing Fitting**  
**Kit**



**KIT8P**  
**Triumph TR7**  
**Moulding Clips**



**KIT1P**  
**VW Golf MK1**  
**Moulding and**  
**Grille**  
**Clips**



**KIT30P**  
**VW Classic Beetle**  
**Moulding Clips**